

NO.4 フィールドクリンプ用ホース金具

管用テーパーパーおねじ

1001
1001S

管用テーパーパーおねじシート面付

内径	商品名	サイズ	ネジ	A	HEX	L			備考
6	GKC 1001 0204	-02	PT1/8	10	17	47.5			
	GKC 1001 6	-04	PT1/4	13	17	50.5			
	GKC 1001 0604	-06	PT3/8	15	19	52.5			
	GKC 1001 6AAB	-06	PT3/8	15	19	55.5			HEX幅9mm
	GKC 1001S 0204	-02	PT1/8	10	17	47.5			
	GKC 1001S 6	-04	PT1/4	13	17	50.5			
9	GKC 1001 0406	-04	PT1/4	13	19	52.5			
	GKC 1001 9	-06	PT3/8	15	19	54.5			
	GKC 1001 0806	-08	PT1/2	18	22	57.5			
	GKC 1001S 9	-06	PT3/8	15	19	54.5			
12	KKC 1001 12AAD	-04	PT1/4	13	22	57.5			
	KKC 1001 0608	-06	PT3/8	15	22	59.5			
	KKC 1001 12	-08	PT1/2	18	22	62.5			
	KKC 1001 1208	-12	PT3/4	20	30	67.5			
	KKC 1001S 12	-08	PT1/2	18	22	62.5			
15	GKC 1001 0810	-08	PT1/2	18	30	76.5			
	GKC 1001 1210	-12	PT3/4	20	30	78.5			
	GKC 1001S 1210	-12	PT3/4	20	30	78.5			
19	GKC 1001 0812	-08	PT1/2	18	30	83			
	GKC 1001 19	-12	PT3/4	20	30	85			
	GKC 1001 19AAA	-12	PT3/4	20	30	85			パイプ用内径 φ12
	GKC 1001 1612	-16	PT1	22	36	89			
	GKC 1001S 19	-12	PT3/4	20	30	85			
25	GKC 1001 1216	-12	PT3/4	20	36	92			
	GKC 1001 25	-16	PT1	22	36	94			
	GKC 1001 25AAA	-16	PT1	22	36	94			パイプ用内径 φ16
	GKC 1001 2016	-20	PT1 1/4	25	46	100			
	GKC 1001S 25	-16	PT1	22	36	94			
32	GKC 1001 32	-20	PT1 1/4	25	46	115			
	KKC 1001 32	-20	PT1 1/4	25	46	115			
	GNC 1001 32	-20	PT1 1/4	25	46	103.5			
	GKC 1001S 32	-20	PT1 1/4	25	46	115			
	KKC 1001S 32	-20	PT1 1/4	25	46	115			
38	GKC 1001 38	-24	PT1 1/2	25	50	135			
	AKC 1001 38	-24	PT1 1/2	25	50	135			
	GNC 1001 38	-24	PT1 1/2	25	50	111.5			
	GKC 1001S 38	-24	PT1 1/2						
50	GKC 1001 50	-32	PT2	30	65	157			
	KKC 1001 50	-32	PT2	30	65	157			
	GNC 1001 50	-32	PT2	30	65	124.5			

フィールドクリンプ用ホース金具

アダプターレス金具


AD1ST
AD190

アダプターレス金具90° 角エルボ

内径	商品名	サイズ	ネジ	A	HEX	H			備考
6	GKC AD1ST 6	-04	PT1/4	13	17				
	GKC AD190 6	-04	PT1/4	13	17	43			
9	GKC AD1ST 9	-06	PT3/8	15	19				
	GKC AD190 9	-06	PT3/8	15	19	47			
12	KKC AD1ST 12	-08	PT1/2	18	22				
	KKC AD190 12	-08	PT1/2	18	22	54			

管用平行おねじ


1002





内径	商品名	サイズ	ネジ	A	HEX	L			備考
6	GKC 1002 0204	-02	PF1/8	10	17	47.5			
	GKC 1002 6	-04	PF1/4	13	17	50.5			
	GKC 1002 6AAB	-04	PF1/4	25	17	62.5			
	GKC 1002 6AAC	-04	PF1/4	32	17	69.5			ヤンマー
	GKC 1002 0604	-06	PF3/8	15	19	52.5			
	GKC 1002 6AAD	-06	PF3/8	15	22	52.5			
9	GKC 1002 0406	-04	PF1/4	13	19	52.5			
	GKC 1002 9	-06	PF3/8	15	19	54.5			
	GKC 1002 9AAB	-06	PF3/8	35	19	74.5			ヤンマー
	GKC 1002 9AAG	-06	PF3/8	35	22	74.5			
	GKC 1002 9 L38	-06	PF3/8	38	22				
	GKC 1002 9 L80	-06	PF3/8	80	22				
	GKC 1002 9AAC	-06	PF3/8	80	19	119.5			日立建機
	GKC 1002 0806	-08	PF1/2	18	22	57.5			
12	KKC 1002 0608	-06	PF3/8	15	22	59.5			
	KKC 1002 12	-08	PF1/2	18	22	62.5			
	KKC 1002 12 L30	-08	PF1/2	30	27				
	KKC 1002 12AAA	-08	PF1/2	40	22	84.5			
	KLC 1002 12AAC	-08	PF1/2	40	27	84.5			KLC金具
	KKC 1002 12 L52	-08	PF1/2	52	27				
	KKC 1002 12 L75	-08	PF1/2	75	27				
	KKC 1002 1208	-12	PF3/4						
15	GKC 1002 1210	-12	PF3/4	20	30	78.5			
	GKC 1002 1210 L38	-12	PF3/4	38	36	99			
19	GKC 1002 0812	-08	PF1/2	18	30	83			
	GKC 1002 19	-12	PF3/4	20	30	85			
	GKC 1002 1612	-16	PF1	22	36	89			
25	GKC 1002 1216	-12	PF3/4	20	36	92			2008年度
	GKC 1002 25	-16	PF1	22	36	94			
	GKC 1002 25AAB	-16	PF1	22	41	95			パイプロ用 古河機械金属
32	GKC 1002 32	-20	PF1 1/4	25	46	115			
	KKC 1002 32	-20	PF1 1/4	25	46	115			
	GNC 1002 32	-20	PF1 1/4	25	46	103.5			
38	GKC 1002 38	-24	PF1 1/2	25	50	135			
	AKC 1002 38	-24	PF1 1/2	25	50	135			
	GNC 1002 38	-24	PF1 1/2	25	50	111.5			
50	GKC 1002 50	-32	PF2	30	65	157			
	KKC 1002 50	-32	PF2	30	65	157			
	GNC 1002 50	-32	PF2	30	65	124.5			


管用テーパめねじ

1003





内径	商品名	サイズ	ネジ	A	HEX	L		基本売価	備考
6	GKC 1003 6	-04	RC1/4		19	48.5		2,400	
	GKC 1003 0604	-06	RC3/8		22	48.5		11,000	
9	GKC 1003 9	-06	RC3/8		22	50.5		2,600	
12	KKC 1003 12	-08	RC1/2		27	59.5		3,200	
15	GKC 1003 1210	-12	RC3/4		36	74.5		6,100	
19	GKC 1003 19	-12	RC3/4		36	81		4,000	
25	GKC 1003 25	-16	RC1		41	87		5,500	
32	GKC 1003 32	-20	RC1 1/4		50	105		11,000	

NO.6 フィールドクリップ用ホース金具									
Oリングボス金具 PFおねじ 6007 AD7ST アダプターレス金具 Oリングボス金具									
内径	商品名	サイズ	ネジ	A	HEX	L			備考
6	GKC 6007 6	-04	PF1/4	12	19	49.5			
	GKC 6007 0604	-06	PF3/8	12	22	49.5			
	GKC AD7ST 6	-04	PF1/4	12	19	65			アダプターレス金具
9	GKC 6007 0406	-04	PF1/4	12	19	51.5			
	GKC 6007 9	-06	PF3/8	12	22	51.5			
	GKC 6007 0806	-08	PF1/2	17	27	55.5			
	GKC AD7ST 9	-06	PF3/8	12	22	69.5			アダプターレス金具
12	KKC 6007 12	-08	PF1/2	14	27	59.5			
	KKC AD7ST 12	-08	PF1/2	14	27	73.5			アダプターレス金具
15	GKC 6007 0810	-08	PF1/2	14	30	74.5			コベルコ
	GKC 6007 1210	-12	PF3/4	14	36	74.5			
19	GKC 6007 0812	-08	PF1/2	14	30	82			
	GKC 6007 19	-12	PF3/4	16	36	81			
	GKC 6007 19AAA	-12	PF3/4	16	36	81			
	GKC 6007 19AAB	-16	PF1	18	41	85			ゴム焼付パッキン使用
	GKC 6007 1612	-16	PF1	18	41	85			
25	GKC 6007 1216	-12	PF3/4	16	36	89			
	GKC 6007 25AAA	-12	PF3/4	16	36	89			日本製鋼
	GKC 6007 25	-16	PF1	18	41	90			
	GKC 6007 25AAC	-16	PF1	18	41	95			パイプロ用内径φ18
	GKC 6007 25AAB	-20	PF1 1/4	20	50	95			日本製鋼
	GKC 6007 2016	-20	PF1 1/4	20	50	95			
32	GKC 6007 32	-20	PF1 1/4	20	50	111			
	GKC 6007 32AAA	-24	PF1 1/2	21	55	114			日本製鋼
	KKC 6007 32	-20	PF1 1/4	20	50	111			
38	GKC 6007 38	-24	PF1 1/2	21	60	131			
	GNC 6007 38	-24	PF1 1/2	21	60	107.5			


フィールドクリップ用ホース金具									
アダプターレス90° 角エルボOリングボス金具 AD790 AP79S アダプターレス90° エルボOリングボス金具									
内径	商品名	サイズ	ネジ	A	HEX	H			備考
6	GKC AD790 6	-04	PF1/4	12	19	45			
	GKC AP79S 6	-04	PF1/4	12	19	42			コベルコ
9	GKC AD790 9	-06	PF3/8	12	22	49.5			
	GKC AP79S 9	-06	PF3/8	12	22	49			コベルコ
	GKC AP79S 9AAA	-06	PF3/8	12	22	73.5			コベルコ
12	KKC AD790 12	-08	PF1/2	14	27	51			2008年度
	KKC AP79S 12	-08	PF1/2	14	27	53.2			2008年度 コベルコ


1005
1005R



管⽤平⾏めねじオスシート強化型



内径	商品名	サイズ	ネジ	HEX X	HEX Y	L			備考
6	GKC 1005 0204	-02	PF1/8	14	17	53.5			
	GKC 1005 6	-04	PF1/4	19	17	55.5			
	GKC 1005 6AAA	-04	PF1/4	19	17	55.5			シート面間距離-2mm
	GKC 1005 0604	-06	PF3/8	22	19	57.5			
	GKC 1005R 6	-04	PF1/4	19	19	55.5			
	GKC 1005R 0604	-06	PF3/8	22	17	58.5			
9	GKC 1005 0406	-04	PF1/4	19	19	57.5			
	GKC 1005 9	-06	PF3/8	22	19	59.5			
	GKC 1005 9AAB	-06	PF3/8	22	19	59.5			シート面間距離-2mm
	GKC 1005 9AAD	-06	PF3/8	22		102			
	GKC 1005 9AAE	-06	PF3/8	22	22	115			ロング
	GKC 1005 0806	-08	PF1/2	27	22	62			
	GKC 1005R 9	-06	PF3/8	22	19	60.5			
12	KKC 1005 0608	-06	PF3/8	22	22	63.5			
	KKC 1005 12	-08	PF1/2	27	22	67			SUS 1005-12J
	KKC 1005 12AAA	-08	PF1/2	27	22	67			シート面間距離・先端径特殊
	KKC 1005 12AAB	-08	PF1/2	27	22	67			シート面間距離-2mm
	KKC 1005 12AAC	-08	PF1/2	27	22	67			内径φ5
	KKC 1005 12AAE	-08	PF1/2	27		142			2008年度
	KKC 1005 12AAF	-08	PF1/2	27	27	142			ロング
	KKC 1005 1208	-12	PF3/4	36	30	72			
	KKC 1005R 12	-08	PF1/2	27	27	72			
15	GKC 1005 0810	-08	PF1/2	27	30	81			
	GKC 1005 1210	-12	PF3/4	36	30	83			
	GKC 1005 1410	-14	PF7/8	36					スミモ エンジンオイル
19	GKC 1005 0812	-08	PF1/2	27	30	87.5			
	GKC 1005 19	-12	PF3/4	36	30	89.5			
	GKC 1005 19AAB	-12	PF3/4	36	30	89.5			HEX角払い品(外径φ39)
	GKC 1005 19AAC	-12	PF3/4	32	30	89.5			2008年度
	GKC 1005 1612	-16	PF1	41	36	93.5			
	GKC 1005R 19	-12	PF3/4	36	36	92.5			
	GKC 1005R 19AAA	-12	PF3/4	36	36	92.5			パイプロ用(内径φ12)
	GKC 1005R 1612	-16	PF1	41	36	97			
25	GKC 1005 1216	-12	PF3/4	36	36	96.5			
	GKC 1005 25	-16	PF1	41	36	98.5			
	GKC 1005 25AAA	-16	PF1	41	36	98.5			内径φ11
	GKC 1005 25AAB	-16	PF1	41	36	98.5			HEX角払い品(外径φ43)
	GKC 1005 2016	-20	PF1 1/4	50	41	104			
	GKC 1005R 25	-16	PF1	41	41	104			
	GKC 1005R 25AAA	-16	PF1	41	41	104			パイプロ用(内径φ16)
	GKC 1005R 25AAB	-16	PF1	41	36	102.5			
	GKC 1005R 2016	-20	PF1 1/4	50	41	109.5			
32	GKC 1005 32	-20	PF1 1/4	50	46	122			
	KKC 1005 32	-20	PF1 1/4	50	46	122			
	GNC 1005 32	-20	PF1 1/4	50	46	110.5			
	GNC 1005 1620	-16	PF1	41	46	105			2008年度
	GKC 1005R 32	-20	PF1 1/4	50	46	126.5			
	KKC 1005R 32	-20	PF1 1/4	50	46	126.5			
38	GKC 1005 38	-24	PF1 1/2	60	50	144			
	AKC 1005 38	-24	PF1 1/2	60	50	144			
	GNC 1005 38	-24	PF1 1/2	60	50	120.5			
	GKC 1005R 38AAA	-24	PF1 1/2	55	55	142			
	AKC 1005R 38	-24	PF1 1/2	60	50	142			
50	GKC 1005 50	-32	PF2	70	65	165			
	KKC 1005 50	-32	PF2	70	65	165			
	GNC 1005 50	-32	PF2	70	65	132.5			
	KKC 1005R 50	-32	PF2	70	65	168			

NO.8 フィールドクリンプ用ホース金具									
管用平行めねじオスシートエルボ ML45 MEL45 管用平行めねじオスシートエルボ									
									
内径	商品名	サイズ	ネジ	HEX X	L	H	原価		備考
6	GKC ML45 6	-04	PF1/4	19	73	21.5			
9	GKC ML45 9	-06	PF3/8	22	83.5	26			
	GKC ML45 0806	-08	PF1/2	27	90	29.5			
	GKC MLP30 9	-6	PF3/8	22	88.7	16.9			ヤンマー 建機B3-5 最高使用圧力27.5MPa
	GKC MEL45 9AAA	-06	PF3/8	22	83.5	26			シート面間距離-2mm
	GKC MEL60 9AAA	-06	PF3/8	22	101	54.5			TCM Wナット
12	KKC ML45 0608	-06	PF3/8	22	88.5	26			
	KKC ML45 12	-08	PF1/2	27	95	29.5			
	KKC ML45 12ナット短	-08	PF1/2	27	95	29.5			
	KKC MEL30 12AAA	-08	PF1/2	27	105.5	22			川崎重工業
	KKC MEL45 12AAA	-08	PF1/2	27	95	29.5			シート面間距離-2mm
	KKC MEL45 12AAB	-08	PF1/2	27	124	29.5			パイプ直間部50mm
15	GKC ML45 1210	-12	PF3/4	36	120	36			
	GKC MELZZ 15AAA	-12	PF3/4	36	140.5	4.5			5° ベンド 川崎重工業
19	GKC ML45 0812	-08	PF1/2	27	115.5	29.5			
	GKC ML45 19	-12	PF3/4	36	126.5	36			旧品番
	GKC ML4A 19	-12	PF3/4	36	131	36			圧接品
	GKC MELZZ 19AAA	-12	PF3/4	36	147	4.5			5° ベンド 川崎重工業
	GKC MEL30 19AAA	-12	PF3/4	36	143	30			川崎重工業
	GKC MEL30 19AAB	-16	PF1	41	148	33			川崎重工業
	GKC MEL45 19AAB	-12	PF3/4	36	131	40			HEX Y付
	GKC MEL45 19AAA	-16	PF1	41	131	40			川崎重工業
25	GKC MELZZ 25AAA	-16	PF1	41	149.5	4.5			5° ベンド 川崎重工業
	GKC MEL30 25AAA	-16	PF1	41	121	33			川崎重工業
	GKC MEL45 25	-16	PF1	41	140	39.5			
	GKC MEL60 25AAA	-16	PF1	41	138	54			川崎重工業
	GKC MELZZ 25AAB	-16	PF1	41	134.5	75.5			80° ベンド 川崎重工業
32	GKC MEL45 32	-20	PF1 1/4	50	164	41			
	KKC MEL45 32	-20	PF1 1/4	50	164	41			
	GNC MEL45 1620	-16	PF1	41	144.5	39.5			
	GNC MEL45 32	-20	PF1 1/4	50	152.5	41			
38	GKC MEL45 38	-24	PF1 1/2	60	198	48			川崎重工業
	GNC MEL45 38	-24	PF1 1/2	60	173	48			川崎重工業
	GNC MEL60 38AAA	-24	PF1 1/2	60	192	81.4			
	GNC MELZZ 38AAA	-24	PF1 1/2	60	98	215			135° ベンド Wナット

フィールドクリンプ用ホース金具									
管用平行めねじオスシート 90° 角エルボ 0590 059T 管用平行めねじオスシート 90° 角エルボ									
									
内径	商品名	サイズ	ネジ	HEX X	L	H			備考
6	GKC 0590 6	-04	PF1/4	19	47	27.5			旧品番 □C=19
	GKC 059T 6	-04	PF1/4	19	46.5	27.5			C=17
9	GKC 0590 9	-06	PF3/8	22	49	29.5			旧品番 □C=19
	GKC 059T 9	-06	PF3/8	22	49.5	31.5			C=19
12	KKC 0590 12	-08	PF1/2	27	58.5	33.5			旧品番 □C=22
	KKC 0590 12AAA	-08	PF1/2	27	58.5	33.5			シート面間距離 8mm
	KKC 059T 12	-08	PF1/2	27	55	34.5			C=22
19	GKC 0590 19	-12	PF3/4	36	82	40.5			□C=32
25	GKC 0590 25	-16	PF1	41	95	47			□C=40

管用平行めねじオスシートエルボ

ML90
MEL90




管用平行めねじオスシートエルボ


内径	商品名	サイズ	ネジ	HEX X	L	H		備考
6	GKC ML90 6AAA	-04	PF1/4	19	58	30		
	GKC ML90 6	-04	PF1/4	19	59	35		
	GKC ML90 6AAB	-04	PF1/4	19	59	44		
	GKC MEL90 0204	-02	PF1/8	14		40		
	GKC MEL90 6	-04	PF1/4	19				
	GKC MEL90 6AAA	-04	PF1/4	19	62.5	80		川崎重工業
9	GKC MEL90 0604	-06	PF3/8	22	63	44		川崎重工業
	GKC ML90 0406	-04	PF1/4	19	58	35		
	GKC ML90 9	-06	PF3/8	22	68	44		
	GKC ML90 0806	-08	PF1/2	27	73.5	53		
	GKC MEL90 9AAB	-04	PF1/4	19	58	45		川崎重工業
	GKC MEL90 9AAD	-06	PF3/8	22	65	44		シート面間距離-2mm
	GKC MEL90 9	-06	PF3/8	22				
	GKC MEL90 9AAC	-06	PF3/8	22	65	64		川崎重工業
12	GKC MEL90 9AAA	-06	PF3/8	22	79.5	92		川崎重工業
	GKC MEL90 0806	-08	PF1/2					川崎重工業
	KKC ML90 0608	-06	PF3/8	22	73	44		
	KKC ML90 12	-08	PF1/2	27	78.5	53		
	KKC MEL90 12AAE	-08	PF1/2	27	76.5	53		シート面間距離-2mm
	KKC MEL90 12AAD	-08	PF1/2	27	76.5	75		川崎重工業
	KKC MEL90 12AAC	-08	PF1/2	27	84.5	100		川崎重工業
15	KKC MEL90 12AAB	-08	PF1/2	27	84.5	115		川崎重工業
	KKC MEL90 12AAA	-12	PF3/4	36	89.5	70		川崎重工業
	GKC ML90 1210	-12	PF3/4	36	101.5	67.5		
	GKC ML90 1410	-14	PF7/8			70		スミモ エンジンオイル
19	GKC MEL90 15AAA	-12	PF3/4	36	101.5	90		川崎重工業
	GKC MEL90 15AAB	-12	PF3/4	36	101.5	100		川崎重工業
	GKC ML90 0812	-08	PF1/2	27	99	53		
	GKC ML90 19	-12	PF3/4	36	108	67.5		旧品番
	GKC ML9A 19	-12	PF3/4	36	112	68		圧接品
	GKC MEL90 0812	-08	PF1/2	27	97	53		川崎重工業
	GKC MEL90 19AAA	-08	PF1/2	27	97	85		川崎重工業
	GKC MEL90 19	-12	PF3/4	36	108	67.5		
	GKC MEL90 19AAD	-12	PF3/4	36	98.5	69		HEX Y付
	GKC MEL90 19AAC	-12	PF3/4	36	108	90		川崎重工業
25	GKC MEL90 19AAB	-12	PF3/4	36	108	115		川崎重工業
	GKC MEL90 1612	-16	PF1	41	116	76.5		川崎重工業
	GKC ML90 1216	-12	PF3/4	36	115	67.5		
	GKC ML90 1216	-12	PF3/4	36	115	76.5		
	GKC MEL90 25	-16	PF1	41	121	76.5		
32	GKC MEL90 25AAB	-16	PF1	41	121	105		川崎重工業
	GKC MEL90 25AAA	-16	PF1	41	121	150		川崎重工業
	KKC ML90 32AAA	-20	PF1 1/4	50	149	97.5		
	GKC MEL90 32	-20	PF1 1/4	50	151	94		
	KKC MEL90 32	-20	PF1 1/4	50	151	94		
	GNC MEL90 1620	-16	PF1	41	125.5	76.5		
38	GNC MEL90 32	-20	PF1 1/4	50	139.5	94		
	GNC MEL90 32AAA	-20	PF1 1/4	50	139.5	140		川崎重工業
	GKC MEL90 38	-24	PF1 1/2	60	174	93		
	GNC MEL90 38	-24	PF1 1/2	60	148.5	93		川崎重工業
50	GNC MEL90 38AAA	-24	PF1 1/2	60	147.5	136		川崎重工業
	GNC MEL90 38AAB	-24	PF1 1/2	60	174	190		川崎重工業
	GNC MEL90 50	-32	PF2	70	188.5	135		

NO.10 フィールドクリンプ用ホース金具									
管用平行めねじメスシート 1004 1004R 管用平行めねじメスシート強化型									
内径	商品名	サイズ	ネジ	HEX X	HEX Y	L			備考
6	GKC 1004 0204	-02	PF1/8	14	17	53.5			
	GKC 1004 6	-04	PF1/4	19	17	55.5			
	GKC 1004 0604	-06	PF3/8	22	19	57.5			
	GKC 1004R 6	-04	PF1/4	19	19	55.5			
	GKC 1004R 0604	-06	PF3/8	22	17	58.5			
9	GKC 1004 0406	-04	PF1/4	19	19	57.5			
	GKC 1004 9AAA	-04	PF1/4	19	19	57.5			
	GKC 1004 9	-06	PF3/8	22	19	59.5			
	GKC 1004 0806	-08	PF1/2	27	22	62			
	GKC 1004R 9	-06	PF3/8	22	19	60.5			
12	KKC 1004 0608	-06	PF3/8	22	22	64.5			
	KKC 1004 12	-08	PF1/2	27	22	67			SUS 1004-12J
	KKC 1004 1208	-12	PF3/4	36	30	72			
	KKC 1004R 12	-08	PF1/2	27	27	72			
15	GKC 1004 0810	-08	PF1/2	27	30	81			
	GKC 1004 1210	-12	PF3/4	36	30	83			
	GKC 1004R 1210	-12	PF3/4	36	30	86			
19	GKC 1004 0812	-08	PF1/2	27	30	87.5			
	GKC 1004 19	-12	PF3/4	36	30	89.5			
	GKC 1004 19AAA	-12	PF3/4	36	30	89.5			ケーブル保護用 廃盤
	GKC 1004 1612	-16	PF1	41	36	93.5			
	GKC 1004R 19	-12	PF3/4	36	36	92.5			
	GKC 1004R 19AAA	-12	PF3/4	36	36	92.5			パイプロ用(内径φ12)
25	GKC 1004 1216	-12	PF3/4	36	36	96.5			
	GKC 1004 25	-16	PF1	41	36	98.5			
	GKC 1004 2016	-20	PF1 1/4	50	41	104			
	GKC 1004R 25	-16	PF1	41	41	104			
	GKC 1004R 25AAA	-16	PF1	41	41	104			パイプロ用(内径φ16)
32	GKC 1004 32	-20	PF1 1/4	50	46	122			
	KKC 1004 32	-20	PF1 1/4	50	46	122			
	GNC 1004 32	-20	PF1 1/4	50	46	110.5			
	GKC 1004R 32	-20	PF1 1/4	50	46	127			
	KKC 1004R 32	-20	PF1 1/4	50	46	127			
38	GKC 1004 38	-24	PF1 1/2	60	50	144			
	AKC 1004 38	-24	PF1 1/2	60	50	144			
	GNC 1004 38	-24	PF1 1/2	60	50	120.5			
	GKC 1004R 38	-24	PF1 1/2	60	50	146			
	AKC 1004R 38	-24	PF1 1/2	60	50	146			
50	GKC 1004 50	-32	PF2	70	65	165			
	KKC 1004 50	-32	PF2	70	65	165			
	GNC 1004 50	-32	PF2	70	65	132.5			
	KKC 1004R 50	-32	PF2	70	65	165			

FEL45 FL45
FEL90 FL90



内径	商品名	サイズ	ネジ	HEX X	L	H			備考
6	GKC FEL45 6	-04	PF1/4	19	75.5	24			
	GKC FL45 6	-04	PF1/4	19	73.5	21.5			
	GKC FEL90 6	-04	PF1/4	19	56	38.5			
	GKC FEL90 6AAA	-04	PF1/4	19	57	45.5			
	GKC FEL90 6AAB	-04	PF1/4	19	56	48.5			
	GKC FL90 6	-04	PF1/4	19	59	35			
9	GKC FEL45 9	-06	PF3/8	22	86	28.5			
	GKC FL45 9	-06	PF3/8	22	84	26			
	GKC FEL90 9	-06	PF3/8	22	65	48			
	GKC FL90 9	-06	PF3/8	22	68	44			
12	KKC FEL45 12	-08	PF1/2	27	97.5	32			
	KKC FEL45 1208	-12	PF3/4	36	111	38.5			
	KKC FEL90 12	-08	PF1/2	27	76.5	56.5			
	KKC FEL90 12AAF	-06	PF3/8	22	109.5	68			
	KKC FEL90 1208	-12	PF3/4	36	89.5	71.5			
	KKC FL90 12	-08	PF1/2	27	78.5	53			
15	GKC FEL45 1210	-12	PF3/4	36	123	38.5			
	GKC FEL90 1210	-12	PF3/4	36	102	71.5			
19	GKC FEL45 19	-12	PF3/4	36	129.5	38.5			
	GKC FEL60 19	-12	PF3/4	36					
	GKC FEL90 19	-12	PF3/4	36	108	71.5			
25	GKC FEL45 25	-16	PF1	41	143.5	43			
	GKC FEL90 25	-16	PF1	41	121	81.5			
	GKC FELZZ 25AAA	-16	PF1	41	106	108			135° ベンド
32	GKC FEL45 32	-20	PF1 1/4	50	154.5	44.5			
	GKC FL45 32	-20	PF1 1/4	50	178.5	52.5			
	GKC FEL90 32	-20	PF1 1/4	50	151	99			
	GNC FEL90 32	-20	PF1 1/4	50	139.5	99			
	GKC FL90 32AAA	-20	PF1 1/4	50	149	97.5			

[illegible]

37° フレアユニファイめねじメスシート

6013

6013R


37° フレアユニファイめねじメスシート強化型

内径	商品名	ネジ	HEX X	HEX Y	L			備考
6	GKC 6013 6AAC	7/16-20UNF	17	17	56			
	GKC 6013 6	7/16-20UNF	19	17	56			
	GKC 6013 0504	1/2-20UNF	19	17	56.5			アルマジロ
	GKC 6013 6AAA	9/16-18UNF	19	17	57			
	GKC 6013 6AAD	9/16-18UNF	19	17	57			シート面間距離=9
	GKC 6013 6AAB	9/16-18UNF	19	19	57			
	GKC 6013 0604	9/16-18UNF	22	19	57			
9	GKC 6013 0406	7/16-20UNF	19	19	58			
	GKC 6013 0506	1/2-20UNF	19	19	58.5			
	GKC 6013 9AAA	9/16-18UNF	19	19	59			トヨタリフト
	GKC 6013 9AAB	9/16-18UNF	19	19×2	82			新キャタピラー 三菱
	GKC 6013 9AAD	9/16-18UNF	19	19	57			オリーブクロメイトメッキ
	GKC 6013 9AAF	9/16-18UNF	19	19	59			シート面間距離=9
	GKC 6013 9	9/16-18UNF	22	19	59			
	GKC 6013 9AAG	5/8-18UNF	22	19	61.5			新キャタピラー 三菱
	GKC 6013 9AAE	3/4-16UNF	22	19	62			シート面間距離=10.5
	GKC 6013 9AAC	3/4-16UNF	22	19	62			
	GKC 6013 0806	3/4-16UNF	27	22	61.5			
12	KKC 6013 12AAA	3/4-16UNF	22	22	67			
	KKC 6013 12	3/4-16UNF	27	22	66.5			
	KKC 6013 12AAB	7/8-14UNF	25.4	22	68.5			
	KKC 6013 1008	7/8-14UNF	27	22	68.5			
	KKC 6013 1208 HEX32	1 1/16-12UN	32	27	71			
	KKC 6013 12AAE	1 1/16-12UN	32	27	71			
	KKC 6013 1208	1 1/16-12UN	36	30	74			
	KKC 6013R 12	3/4-16UNF	27	22	79			
15	GKC 6013 15	7/8-14UNF	27	27	80.5			
	GKC 6013 15AAA	1 1/16-12UN	31.8	30	83			
	GKC 6013 1210	1 1/16-12UN	36	30	85			
19	GKC 6013 1012	7/8-14UNF	27	30	89			
	GKC 6013 19AAA	1 1/16-12UN	31.8	30	89.5			
	GKC 6013 19AAC	1 1/16-12UN	32	30	91.5			
	GKC 6013 19	1 1/16-12UN	36	30	91.5			
	GKC 6013 19AAB	1 3/16-12UN	36	36	92.5			
	GKC 6013 1612	1 5/16-12UN	41	36	93.5			
	GKC 6013R 19	1 1/16-12UN	36	36	92.5			
	GKC 6013R 19AAA	1 1/16-12UN	36	36	92.5			パイプロ用(内径φ12)
25	GKC 6013 1216	1 1/16-12UN	36	36	98.5			
	GKC 6013 25AAA	1 5/16-12UN	38	36	102			
	GKC 6013 25	1 5/16-12UN	41	36	100.5			GJC 6013-25
	GKC 6013R 25	1 5/16-12UN	41	41	102.5			
	GKC 6013R 25AAA	1 5/16-12UN	41	41	102.5			パイプロ用(内径φ16)
32	GKC 6013 32	1 5/8-12UN	50	46	121			
	KKC 6013 32	1 5/8-12UN	50	46	121			
	GNC 6013 32	1 5/8-12UN	50	46	109.5			
	GKC 6013R 32	1 5/8-12UN	50	46	127			
	KKC 6013R 32	1 5/8-12UN	50	46	127			
38	GKC 6013 38	1 7/8-12UN	60	50	145.5			
	AKC 6013 38	1 7/8-12UN	60	50	145.5			
	GNC 6013 38	1 7/8-12UN	60	50	122			
	GKC 6013R 38	1 7/8-12UN	60	50	148			
	AKC 6013R 38	1 7/8-12UN	60	50	148			
50	GKC 6013 50	2 1/2-12UN	75	65	171.5			
	GNC 6013 50	2 1/2-12UN	75	65	139			

37° ユニファイおねじオスシート

6010
6014


37° ユニファイめねじメスシート




内径	商品名	ネジ	A	HEX	L	H			備考
6	GKC 6010 6	7/16-20UNF	14	17	51.5				
	GKC 6010 6AAB	7/16-20UNF	28	17	63.5				日立建機 ロング
	GKC 6010 0504	1/2-20UNF	14	17	51.5				
	GKC 6010 6AAA	9/16-18UNF	14	17	51.5				
	GKC 6010 0604	9/16-18UNF	14	19	51.5				
9	GKC 6010 9	9/16-18UNF	14	19	53.5				
	GKC 6010 9AAA	9/16-18UNF	34	19	73.5				日立建機 ロング
	GKC 6010 9AAB	9/16-18UNF	40	22	79.5				日立建機
	GKC 6010 9AAC	5/8-18UNF	15.5	19	55				
	GKC 6010 0806	3/4-16UNF	16.5	22	56				
	GKC 6014 9	5/8-18UNF			62				HEX X 22 HEX Y 19
12	KKC 6010 12	3/4-16UNF	16.5	22	61				
	KKC 6010 12AAC	3/4-16UNF	34	22	78.5				北越工業
	KKC 6010 12AAD	3/4-16UNF	40	27	83.5				北越工業 ロング
	KKC 6010 12AAA	3/4-16UNF	40	22	84.5				北越工業 ロング
	KKC 6010 1008	7/8-14UNF	19.5	27	65				
	KKC 6010 12AAB	7/8-14UNF	40	27	85.5				
15	GKC 6010 15	7/8-14UNF	19.5	30	78				
	GKC 6010 1210	1 1/16-12UN	22	30	80.5				
19	GKC 6010 1012	7/8-14UNF	19.5	30	84.5				
	GKC 6010 19	1 1/16-12UN	22	30	87				
	GKC 6010 1412	1 3/16-12UN	22.5	36	87.5				
	GKC 6010 1612	1 5/16-12UN	23	36	88				
25	GKC 6010 1216	1 1/16-12UN	22	36	94				
	GKC 6010 1416	1 3/16-12UN	22.5	36	94.5				
	GKC 6010 25	1 5/16-12UN	23	36	95				
32	GKC 6010 1620	1 5/16-12UN	23	46	113				


ユニファイめねじメスシート90° 角エルボ

1390





内径	商品名	ネジ	C	HEX	L	H			備考
6	GKC 1390 6	7/16-20UNF	19	19	47	28			
	GKC 1390 6AAA	9/16-18UNF	19	19	47	30.5			日立建機
	GKC 1390 0604	9/16-18UNF	22	22	48.5	30.5			
9	GKC 1390 9	9/16-18UNF	22	22	50.5	30.5			
	GKC 1390 9AAB	9/16-18UNF	19	19	49	30.5			日立建機
	GKC 1390 9AAA	3/4-16UNF	19	22	49	33.5			
	GKC 1390 0806	3/4-16UNF	22	27	54.5	33			
12	KKC 1390 12	3/4-16UNF	22	27	58.5	33			
	KKC 1390 12AAA	7/8-14UNF	22	27	58.5	35			

NO.14 フィールドクリンプ用ホース金具								
37° フレアユニファイめねじメスシートエルボ 6015 UN45 37° フレアユニファイめねじメスシートエルボ 								
内径	商品名	ネジ	HEX X	L	H			備考
6	GKC 6015 6AAA	7/16-20UNF	17	74	23			
	GKC 6015 6	7/16-20UNF	19	74	23			
	GKC 6015 6AAC	9/16-18UNF	19	77.5	25.8			
	GKC 6015 0604	9/16-18UNF	22	84	28.5			
	GKC UN45 6AAC	7/16-20UNF	17	71	19.5			
	GKC UN45 6	7/16-20UNF	19	73.5	30			
9	GKC 6015 9AAE	9/16-18UNF	19	87.5	32			
	GKC 6015 9	9/16-18UNF	22	86	28.5			
	GKC 6015 9AAB	3/4-16UNF	22	83	28.5			小松製作所
	GKC 6015 9AAA	3/4-16UNF	22	97	36.5			小松製作所
	GKC 6015 0806	3/4-16UNF	27	92.5	32			
12	GKC UN45 9	9/16-18UNF	22	89	32			
	KKC 6015 12AAA	3/4-16UNF	22	96	31.5			豊羽鉦山 フレアパイプタイプ
	KKC 6015 12AAB	3/4-16UNF	22	95	33.5			
	KKC 6015 12	3/4-16UNF	27	97.5	32			
	KKC 6015 1008	7/8-14UNF	27	98.5	33			
15	KKC UN45 12	3/4-16UNF	27	96	30.5			
	GKC 6015 15	7/8-14UNF	27	112.5	33			
19								
	GKC 6015 19AAA	1 1/16-12UN	32	135.5	44.5			小松製作所
	GKC 6015 19	1 1/16-12UN	36	129.5	38.5			
25	GKC 6015 19AAB	1 3/16-12UN	36	130	39			
	GKC 6015 25	1 5/16-12UN	41	145	44.5			
32								
	GKC 6015 32	1 5/8-12UN	50	154	44			
38								
	GKC 6015 38	1 7/8-12UN	60					

フィールドクリンプ用ホース金具								
Oリングボス金具 ユニファイネジ 6008 								
内径	商品名	ネジ	A	HEX	L			備考
6	GKC 6008 6	7/16-20UNF	9	17	46.5			AS568 904 又はP9
9	GKC 6008 9	9/16-18UNF	10	19	49.5			AS568 906 又はP12
	GKC 6008 0806	3/4-16UNF	11	22	50.5			
12	KKC 6008 0608	9/16-18UNF	10	22	54.5			
	KKC 6008 12	3/4-16UNF	11	22	55.5			AS568 908 又はP16
	KKC 6008 12AAA	7/8-14UNF	12.5	27	58			
15	GKC 6008 15	7/8-14UNF	12.5	30	74			AS568 910
	GKC 6008 1210	1 1/16-12UN	15	32	73.5			
19	GKC 6008 19	1 1/16-12UN	15	32	80			AS568 912
25								
	GKC 6008 25	1 5/16-12UN	15	41	87			AS568 916
32								
	GKC 6008 32	1 5/8-12UN	15	50	103			AS568 920
38								
	GKC 6008 38	1 7/8-12UN	15	60	129			AS568 924

37° フレアユニファイめねじメスシートエルボ

6016
UN90



37° フレアユニファイめねじメスシートエルボ

内径	商品名	ネジ	HEX X	L	H			備考
6	GKC 6016 6	7/16-20UNF	19	56	37			
	GKC 6016 6AAA	7/16-20UNF	19	56	62			
	GKC 6016 0504	1/2-20UNF	19	56	37.5			
	GKC 6016 6AAB	9/16-18UNF	19	56	42			小松製作所
	GKC 6016 6AAC	9/16-18UNF	22	67	42			小松製作所
	GKC 6016 0604	9/16-18UNF	22	63	47.5			
	GKC 6016 6AAE	9/16-18UNF	22	63	52			小松製作所
	GKC 6016 6AAD	9/16-18UNF	19	56	66			日立建機
	GKC 6016 6AAF	9/16-18UNF	19	72.5	66			日立建機
	GKC UN90 6	7/16-20UNF	19	59	36			
9	GKC UN90 6AAC	7/16-20UNF	17	59	36			
	GKC 6016 0406	7/16-20UNF	19	58	37			
	GKC 6016 0506	1/2-20UNF	19	58	37.5			
	GKC 6016 9AAJ	9/16-18UNF	22	69	38			日立建機
	GKC 6016 9AAD	9/16-18UNF	19	58	41			トヨタリフト
	GKC 6016 9	9/16-18UNF	22	65	47.5			
	GKC 6016 9 H48	9/16-18UNF	19	64	48			
	GKC 6016 9ABD	9/16-18UNF	19	61.5	51			
	GKC 6016 9AAK	9/16-18UNF	22	65	63			
	GKC 6016 9ABB	9/16-18UNF	22	75	63			YTA2400加締不可対策品
	GKC 6016 9 H65	9/16-18UNF	19	74	65			
	GKC 6016 9AAH	9/16-18UNF	22	69	84.5			新キャタピラー 三菱
	GKC 6016 9AAB	5/8-18UNF	22	65	47.5			
	GKC 6016 9AAG	3/4-16UNF	22	71.5	48.5			小松製作所
	GKC 6016 9AAF	3/4-16UNF	22	65	52.5			小松製作所
	GKC 6016 0806	3/4-16UNF	27	71.5	56			
	GKC 6016 9AAA	3/4-16UNF	22	67.5	58.5			
	GKC 6016 9AAE	3/4-16UNF	22	71.5	62.5			小松製作所
	GKC 6016 9AAC	3/4-16UNF	22	75.5	66.5			
12	GKC UN90 9	9/16-18UNF	22	68	42			
	KKC 6016 12	3/4-16UNF	27	76.5	56			
	KKC 6016 12AAD	3/4-16UNF	22	72.5	58.5			トヨタリフト
	KKC 6016 12 HEX22	3/4-16UNF	22		68			
	KKC 6016 12AAC	3/4-16UNF	27	84.5	150			日立建機
	KKC 6016 12AAB	3/4-16UNF	27	84.5	180			日立建機
	KKC 6016 1008	7/8-14UNF	27	76.5	58			
	KKC 6016 12AAA	7/8-14UNF	27	76.5	88			
15								
	KKC UN90 12	3/4-16UNF	27	79	56			
	GKC 6016 15	7/8-14UNF	27	90.5	58			
19	GKC 6016 1210	1 1/16-12UN	36	101.5	71.5			
	GKC 6016 1210 H150	1 1/16-12UN	32		150			コマツSK07 トヨタリフトJOBSUN
25								
	GKC 6016 19	1 1/16-12UN	36	108	71.5			
	GKC 6016 19AAA	1 1/16-12UN	32	108	80			小松製作所
	GKC 6016 19AAB	1 3/16-12UN	36	108	72.5			
	GKC 6016 1612	1 5/16-12UN	41	116	83.5			
32								
	GKC 6016 25	1 5/16-12UN	41	121	83.5			
38								
	GKC 6016 32	1 5/8-12UN	50	151	98			
38	GNC 6016 32	1 5/8-12UN	50	137.5	98			
	GKC 6016 38	1 7/8-12UN	60	174	103.5			
38								
	GNC 6016 38	1 7/8-12UN	60	146.5	103.5			

メートルめねじメスシート

METST

1005M


メートルめねじオスシート

内径	商品名	サイズ	ネジ	HEX X	HEX Y	L			備考
6	GKC METST 6AAE		M10×1.0	14	17	53.5			
	GKC METST 6AAA	-02	M10×1.25	14	17	53.5			コマツPPC
	GKC METST 6AAD		M12×1.0	19	17	55.5			
	GKC METST 6AAF		M12×1.5	19	17	57			
	GKC METST 6	-04	M14×1.5	19	17	57			
	GKC METST 6AAB	-04	M14×1.5	19	17	96.5			パイプ径φ9 長さ37.0
	GKC METST 0604	-06	M18×1.5	24	19	57.5			
	GKC METST 6AAC	-08	M22×1.5	27	22	61.5			
	GKC 1005M 6AAA		M12×1.0	19	17	55.5			
	GKC 1005M 6AAB		M12×1.5	19	17	55.5			
	GKC 1005M 6AAC		M10×1.25	14	17	53.5			
	GKC 1005M 6AAD		M10×1.0	14	17	53.5			
	GKC 1005M 6AAE		M22×1.5	27	22	61.5			
9	GKC METST 0406	-04	M14×1.5	19	19	59			
	GKC METST 9AAA		M16×1.5	22	19	59.5			
	GKC METST 9AAB	-06	M18×1.5	22	19	59.5			
	GKC METST 9	-06	M18×1.5	24	19	59.5			
	GKC METST 9AAF	-06	M18×1.5	24	19	106.5			パイプ径φ12 長さ44.5
	GKC METST 9AAD	-06	M18×1.5	24	22	135.5			パイプ径φ10 長さ68.0
	GKC METST 9AAE		M20×1.5	27	22	62			三菱フソウ 日野自動車
	GKC METST 0806	-08	M22×1.5	27	22	63.5			
	GKC 1005M 9		M20×1.5	27	22	64.5			
	GKC 1005M 0806		M22×1.5	27	22	63.5			
	GKC 1005M 9AAA	-06	M18×1.5	24	19	59.5			
12	KKC METST 0608	-06	M18×1.5	24	22	64.5			
	KKC METST 12AAA		M20×1.5	27	22	69.5			
	KKC METST 12	-08	M22×1.5	27	22	68.5			
	KKC METST 12AAE	-08	M22×1.5	27	22	118.5			パイプ径φ15 長さ47.5
	KKC METST 12AAB	-08	M22×1.5	27	27	145			パイプ径φ15 長さ67.0
	KKC METST 12AAD	-08	M22×1.5	27	22	128.5			パイプ径φ20 長さ60.0
	KKC METST 1008	-10	M24×1.5	32	27	71.5			
	KKC 1005M 12	-08	M22×1.5	27	22	68.5			
	KKC 1005M 0608		M20×1.5	27	22	69.5			
15	GKC METST 15	-10	M24×1.5	32	30	85.5			
	GKC METST 15AAA	-10	M24×1.5	32	30	162.5			パイプ径φ16
	GKC METST 15AAB	-10	M24×1.5	32	30	164.5			パイプ径φ19 長さ67.0
	GKC METST 15AAC	-10	M24×1.5	32	30	164.5			パイプ径φ17.3 長さ67.0
	GKC METST 1210	-12	M30×1.5	36	30	90.5			
19	GKC METST 1012	-10	M24×1.5	32	30	92			
	GKC METST 19	-12	M30×1.5	36	30	97			
	GKC METST 19AAA	-12	M30×1.5	36	36	97			
	GKC METST 19AAB	-12	M30×1.5	41	36	97			
	GKC METST 1612	-16	M33×1.5	41	36	100			
25	GKC METST 1216	-12	M30×1.5	36	36	104			
	GKC METST 25	-16	M33×1.5	41	36	107			
32	GKC METST 32	-20	M36×1.5	46	46	130			
	KKC METST 32	-20	M36×1.5	46	46	130			
	GNC METST 32	-20	M36×1.5	46	46	118.5			
38	GKC METST 38	-24	M42×1.5	55	50	153.5			
	AKC METST 38	-24	M42×1.5	55	50	153.5			
	GNC METST 38	-24	M42×1.5	55	50	130			

MET45 MT45
MET90 MT90

フィールドクリンプ用ホース金具									
メートルめねじオスシート90° 角エルボ 0590M 									
内径	商品名	サイズ	ネジ	HEX X	L	H			備考
9	GKC 0590M 9	-06	M18×1.5	24	49	30			□C=19

6007M


[illegible]

フィールドクリップ用ホース金具

KAWAS
KAWAH

Technical drawing of a Tee fitting. The drawing shows a side view of the fitting with the following labels and dimensions:



- HEX**: Label for the hexagonal section of the fitting.
- φA**: Dimension for the outer diameter of the hexagonal section.
- ねじM**: Label for the threaded section.
- B**: Dimension for the length of the threaded section.
- (L)**: Dimension for the total length of the fitting.

[illegible]

30° オスシート

6010M
6014M


45° フレアメートルめねじメスシート



内径	商品名	ネジ	A	シート角	HEX	L		備考
6	GKC 6010M 6AAC	M12×1.0	27	30	17	64.5		
	GKC 6010M 6AAD	M12×1.5	27	30	17	64.5		
	GKC 6010M 6	M14×1.5	17	30	17	54.5		
	GKC 6010M 6AAE	M14×1.5	40	42	17	77.5		
	GKC 6010M 6AAF	M14×1.5	40	42	19	77.5		
	GKC 6010M 0604	M18×1.5						
9	GKC 6010M 9AAK	M14×1.5	40	42	19	79.5		
	GKC 6010M 9AAC	M16×1.5	30	30	19	69.5		
	GKC 6010M 9AAF	M16×1.5	35	30	19	74.5		
	GKC 6010M 9AAD	M16×1.5	37	42	19	76.5		いすゞ自動車
	GKC 6010M 9ABB	M16×1.5	37	42	22	76.5		三菱自動車
	GKC 6010M 9	M18×1.5	18	30	19	57.5		
	GKC 6010M 9AAA	M18×1.5	34	30	19	73.5		
	GKC 6010M 9AAE	M20×1.5	40	30	22	79.5		
	GKC 6010M 9AAB	M20×1.5	40	42	22	79.5		日野自動車
	GKC 6010M 9ABA	M20×1.5	40	42	27	81.5		三菱自動車
	GKC 6014M 9AAA	M16×1.5		22	19	61		6010M 9AAD と結合可能
	GKC 6014M 9AAB	M20×1.5		27	22	62		6010M 9AAB と結合可能
12	KKC 6010M 12AAG	M16×1.5	40	42	22	84.5		
	KLC 6010M 12AAK	M16×1.5	40	42	27	84.5		KLC 金具
	KKC 6010M 12AAA	M20×1.5	40	30	22	84.5		
	KKC 6010M 12AAB	M20×1.5	40	42	22	84.5		日野自動車
	KKC 6010M 12AAH	M20×1.5	40	42	27	85.5		三菱自動車
	KKC 6010M 12	M22×1.5	20	30	27	67.5		
	KKC 6010M 12AAD	M22×1.5	40	30	27	85.5		
	KKC 6010M 12AAC	M22×1.5	40	42	27	85.5		日野自動車
	KKC 6010M 12AAJ	M22×1.5	40	42	32	87.5		三菱自動車
	KKC 6014M 12AAA	M22×1.5		27	22	68.5		6010M 12AAC と結合可能
15	GKC 6010M 15AAB	M22×1.5	23	42	30	81.5		6010M 0810 川崎重工業
	GKC 6010M 15	M24×1.5	21.5	30	30	80		
	GKC 6010M 15AAA	M24×1.5	40	30	30	98.5		
19	GKC 6010M 19	M30×1.5	26	30	36	93		
25	GKC 6010M 25	M33×1.5	36	30		102		


メートルめねじメスシート90° 角エルボ


0490M
049TM



内径	商品名	ネジ	C	HEX	L	H		備考
6	GKC 049TM 6	M14×1.5		19				
	GKC 0490M 6	M14×1.5	19	19	47	29		旧品番
	GKC 0490M 6AAA	M10×1.25	12	14	45	22		コマツPPC
9	GKC 049TM 9	M18×1.5						
	GKC 0490M 9	M18×1.5	22	24	50.5	31		旧品番
	GKC 0490M 9AAA	M16×1.5	22	22	50.5	32.5		
	GKC 0490M 9AAB	M18×1.5	22	22	50.5	31		
12	KKC 049TM 12	M22×1.5						
	KKC 0490M 12	M22×1.5	22	27	58.5	35		旧品番

6074


[illegible]

DKFSH
DKFSL

DIN規格 標準圧力喰込み金具ミリパイプ用

[illegible]

6075

[illegible]

6072

※ナット・スリーブ別


Technical drawing of a bolt. Dimensions are labeled: ϕA , ϕB , C , and (L) . A label points to the hexagonal part: "HEX D 又は ϕD ".

内径	商品名	ネジ	A	B	C	HEX D	L			備考	
----	-----	----	---	---	---	-------	---	--	--	----	--

6	GKC 6072 6AAA	M12×1.5	6	3	25	φ 16	59.5			ナットスリーブ' 126	
	GKC 6072 6AAD	M12×1.5	6	3	40	φ 14	921			ナットスリーブ' 126	
	GKC 6072 6AAA	M14×1.5	6	3	25	φ 16	59.5				
	GKC 6072 6AAB	M14×1.5	8	5	26	φ 16	60.5			ナットスリーブ' 148	
	GKC 6072 6AAE	M14×1.5	8	5	40	φ 16	74.5			ナットスリーブ' 148	
	GKC 6072 6AAB	M16×1.5	8	5	26	φ 16	60.5				
	GKC 6072 6	M16×1.5	10	6	33	17	70.5			ナットスリーブ' 1610	
	GKC 6072 6AAC	M16×1.5	10	6	45	17	82.5			ナットスリーブ' 1610	
9	GKC 6072 9AAA	M16×1.5	10	7	18	φ 20	56.5			ナットスリーブ' 1610	
	GKC 6072 9AAF	M16×1.5	10	7	26	19	64.5			ナットスリーブ' 1610	
	GKC 6072 9	M18×1.5	12	7	22	19	61.5			ナットスリーブ' 1812	
	GKC 6072 9AAE	M18×1.5	12	7	26	19	1195			ナットスリーブ' 1812	
	GKC 6072 9AAC	M18×1.5	12	7	45	19	84.5			ナットスリーブ' 1812	
	GKC 6072 9	M20×1.5	12	7	22	19	61.5				
	GKC 6072 9AAB	M22×1.5	15	12	38	22	79.5			ナットスリーブ' 2215	
	GKC 6072 9AAD	M22×1.5	15	12	45	22	84.5			ナットスリーブ' 2215	
12	KKC 6072 12AAA	M22×1.5	15	10	30	27	77.5			ナットスリーブ' 2215	
	KKC 6072 12AAB	M22×1.5	15	11	20	φ 22	62.5			ナットスリーブ' 2215	
	KKC 6072 12	M24×1.5	16	11	24	22	68.5			ナットスリーブ' 2416	
	KKC 6072 12AAC	M24×1.5	16	10	24	27	71.5			ナットスリーブ' 2416	
	KKC 6072 12AAG	M24×1.5	16	11	30	22	74.5			ナットスリーブ' 2416	
	KKC 6072 12AAD	M26×1.5	18	12	29	27	74.5			ナットスリーブ' 2618	
	KKC 6072 12AAE	M28×1.5	20	13	25	27	74.5			ナットスリーブ' 2820	
	KKC 6072 12AAH	M28×1.5	20	14	35	22	80.5			ナットスリーブ' 2820	
15	KKC 6072 12AAF	M30×1.5	22	14.5	32	27	77.5			ナットスリーブ' 3022	
	GKC 6072 15AAA	M26×1.5	18	14.5	32	32	90.5			ナットスリーブ' 2618	
	GKC 6072 15	M28×1.5	20	14	25	30	83.5			ナットスリーブ' 2820	
	GKC 6072 15AAF	M28×1.5	20	14	35	30	93.5			ナットスリーブ' 2820	
	GKC 6072 15AAB	M30×1.5	22	14.5	32	32	90.5			ナットスリーブ' 3022	
	GKC 6072 15AAC	M34×1.5	25	17	28	36	86.5			ナットスリーブ' 3425	
19	GKC 6072 15AAG	M34×1.5	25	16	39	30	97.5				
	GKC 6072 15AAE	M36×1.5	28	18	28	30	86.5			ナットスリーブ' 3628	
	GKC 6072 15AAE	M38×1.5	28	18	28	30	86.5			ナットスリーブ' 3828	
	GKC 6072 1012	M28×1.5	20	14	25	30	90			ナットスリーブ' 2820	
	GKC 6072 19AAE	M28×1.5	20	14	35	30	100			ナットスリーブ' 2820	
	GKC 6072 19AAA	M30×1.5	22	14.5	32	30	97			ナットスリーブ' 3022	
	GKC 6072 19	M34×1.5	25	16	28	30	93			ナットスリーブ' 3425	
25	GKC 6072 19AAD	M34×1.5	25	16	39	30	104				
	GKC 6072 19AAC	M36×1.5	28	19.4	28	30	93			ナットスリーブ' 3628	
	GKC 6072 19AAC	M38×1.5	28	19.4	28	30	93			ナットスリーブ' 3828	
	GKC 6072 19AAB		28.2	19.4	28	30	93				
	GKC 6072 25AAA	M34×1.5	25	17	28	50				ナットスリーブ' 3425	
	GKC 6072 25AAD	M34×1.5	25	16	39	36	111				
	GKC 6072 25AAC	M36×1.5	28	18	31	36	103			ナットスリーブ' 3628	
32	GKC 6072 25AAC	M38×1.5	28	18	31	36	103			ナットスリーブ' 3828	
	GKC 6072 25	M40×1.5	30	20	29	36	101			ナットスリーブ' 4030	
38	GKC 6072 25AAB	M45×1.5	35	25	33	50	105			ナットスリーブ' 4535	
32	GKC 6072 32	M48×1.5	38	26	36	46	126			ナットスリーブ' 4838	
	KKC 6072 32	M48×1.5	38	26	36	46	126			ナットスリーブ' 4838	
38	GKC 6072 38	M52×2.0	42	28	48	50	158			ナットスリーブ' 5242	


NO.23

6472


[illegible]

喰込み金具 ミリパイプ^φ90° エルボ


6972

[illegible]

6073


[illegible]

6973

[illegible]

メートルめねじ 球面シート

6006




内径	商品名	ネジ	A	φ B	HEX X	HEX Y	L			備考
6	GKC 6006 6AAA	M14×1.5	4	5	19	17	57			
	GKC 6006 6	M16×1.5	6.5	4	22	17	648			
	GKC 6006 6AAB	M16×1.5	2.5	8.6	22	17	59			
9	GKC 6006 9AAC	M16×1.5	3		22	19	61			6074-0406と結合可
	GKC 6006 0406	M16×1.5	4	6.5	22	19	61			
	GKC 6006 9AAA	M18×1.5	4	8.6	24	19	62			
	GKC 6006 9AAB	M18×1.5	3	10.6	24	19	62			
	GKC 6006 9	M20×1.5	4	10.6	27	19	65			
	GKC 6006 9AAD	M22×1.5	3		27	22	63.5			6074AAAと結合可
12	KKC 6006 12AAA	M22×1.5	4.5	14.6	27	22	69			
	KKC 6006 12AAB	M22×1.5	5	14.2	27	φ 22	62			12AAAの強化タイプ
	KKC 6006 12AAC	PF1/2	8	13.5	27	22	67			
	KKC 6006 12AAD	M22×1.5	6	13.8	27	22	2845			
	KKC 6006 12	M24×1.5	6	15.8	30	22	68			
	KKC 6006 12AAE	M26×1.5	4		32	27	71			6074AABと結合可
15	GKC 6006 0810	M24×1.5	6	15.8	30	30	82			
19	GKC 6006 19AAJ	M28×1.5	4		36	30	89.5			6074-1012と結合可
	GKC 6006 19AAA	M30×1.5	3	20.3	36	36	89			6074AAA.AABと結合可
	GKC 6006 19AAK	M30×1.5	5		36	41	89.5			6074AAAと結合可
	GKC 6006 19AAH	M36×1.5	2.5		41	36	97			6075-19と結合可
	GKC 6006 19AAB	M36×1.5	4.5	25.8	46	27	94			6074AADと結合可
	GKC 6006 19AAF	M36×1.5	4.5	27.3	41	27	94			
	GKC 6006 19AAE	M36×1.5	4.5	27.3	46	27	94			6074AAEと結合可
	GKC 6006 19AAC	PF3/4	10	21.5	36	30	90			
	GKC 6006 19	M30×2.0	6	18.3	36	30	90			
	GKC 6006 19AAD	M30×2.0	5	23.4	36	30	90			
25	GKC 6006 25AAA	M36×1.5	4.5	25.8	46	41	98			
	GKC 6006 25AAD	M36×1.5	6		41	36	102			6074AAFと結合可
	GKC 6006 25AAB	M45×1.5	4.5	33.3	55	32	97			6074AACと結合可
	GKC 6006 25AAC	M45×1.5	5.5	35.5	55	32	97			6074AAEと結合可
	GKC 6006 25	M42×2.0	8.5	26.6	50	41	102			
32	GKC 6006 32	M52×2.0	10	36	60	50	125			
	GKC 6006 32AAA	M52×2.0	3	36	60	50	125			
	KKC 6006 32AAA	M52×2.0	3	36	60	50	125			
38	GKC 6006 38	M56×2.0			70	60	148			

フィールドクリップ用ホース金具

DIN規格 標準圧力メートルめねじ球面シート

DKLSH




内径	商品名	ネジ	A	φ B	HEX X	HEX Y	L			備考
25	GKC DKLSH 25	M36×2.0			41	φ 24.7	98.5			
	GKC DKLSH 25AAA	M36×2.0			41	36	98.5			
32	GKC DKLSH 32	M42×2.0			50	φ 29.7	122			
	GKC DKLSH 32AAA	M42×2.0			50	46	122			
	KKC DKLSH 32AAA	M42×2.0			50	46	122			
38	GKC DKLSH 38	M52×2.0			60	φ 37.7	144			
	GKC DKLSH 38AAA	M52×2.0			60	50	144			

フィールドクリップ用ホース金具



メートルめねじ球面シート90° エルボ

0690




内径	商品名	ネジ	A	φ B	HEX X	L	H	原価	基本売価	備考
12	KKC 0690 12	M24×1.5			30	76.5	54			

DKOSL
DKOSH




加締タイプ

内径	商品名	ネジ	φD	HEX X	HEX Y	L			備考
6	GKC DKOSL 6AAE	M12×1.5	6.5	19	17	57			
	GKC DKOSL 6AAA	M14×1.5	7.7	19		55.5			なくなり次第終了
	GKC DKOSL 6AAB	M14×1.5	7.7	19	17	55.5			
	GKC DKOSL 6	M16×1.5	9.9	22		59			
	GKC DKOSL 6AAD	M16×1.5	9.9	22	17	59			
	GKC DKOSL 6AAC	M18×1.5	11.7	22	17	57.5			
	GKC DKOSH 6AAF	M14×1.5	6.5	19	17	57			
	GKC DKOSH 6AAA	M16×1.5	7.7	22		53			
	GKC DKOSH 6AAD	M16×1.5	7.7	22	17	59			
	GKC DKOSH 6	M18×1.5	9.7	22		57.5			
	GKC DKOSH 6AAB	M18×1.5	9.7	22	17	57.5			
	GKC DKOSH 0604	M20×1.5	11.7	27		60			
GKC DKOSH 6AAC	M20×1.5	11.7	27	22	60				
9	GKC DKOSL 0406	M16×1.5	9.9	22		61			
	GKC DKOSL 9AAC	M16×1.5	9.9	22	19	61			
	GKC DKOSL 9	M18×1.5	11.7	22		59.5			
	GKC DKOSL 9AAB	M18×1.5	11.7	22	19	59.5			
	GKC DKOSL 9AAA	M22×1.5	14.7	27	22	62			
	GKC DKOSH 0406	M18×1.5	9.7	22		59.5			
	GKC DKOSH 9AAC	M18×1.5	9.7	22	19	59.5			
	GKC DKOSH 9	M20×1.5	11.7	27		62			
	GKC DKOSH 9AAB	M20×1.5	11.7	27	22	62			
	GKC DKOSH 9AAA	M20×1.5	11.7	24	19	62.5			
	GKC DKOSH 0806	M22×1.5	13.7	27		62			
GKC DKOSH 9AAD	M22×1.5	13.7	27	22	62				
12	KKC DKOSL 12	M22×1.5	14.7	27		67			
	KKC DKOSL 12AAA	M22×1.5	14.7	27	22	68			
	KKC DKOSH 12	M22×1.5	13.7	27		67			
	KKC DKOSH 12AAA	M22×1.5	13.7	27	22	68			
	KKC DKOSH 1008	M24×1.5	15.7	30		71			
	KKC DKOSH 12AAB	M24×1.5	15.7	30	27	69			
15	GKC DKOSL 0810	M22×1.5	14.7	27	27	81			
	GKC DKOSL 15	M26×1.5	18	32		84			
	GKC DKOSL 15AAA	M26×1.5	18	32	27	84			
	GKC DKOSL 1210	M30×2.0	21.7	36		83			
	GKC DKOSL 15AAB	M30×2.0	21.7	36	30	83			
	GKC DKOSH 15	M24×1.5	15.7	30		82			
	GKC DKOSH 15AAA	M24×1.5	15.7	30	27	82			
	GKC DKOSH 1210	M30×2.0	19.7	36		83			
	GKC DKOSH 15AAB	M30×2.0	19.7	36	30	83			
19	GKC DKOSL 19	M30×2.0	21.7	36		89.5			
	GKC DKOSL 19AAA	M30×2.0	21.7	36	30	89.5			
	GKC DKOSH 19	M30×2.0	19.7	36		89.5			
	GKC DKOSH 19AAA	M30×2.0	19.7	36	30	89.5			
	GKC DKOSH 1612	M36×2.0	24.7	46	30	97			
25	GKC DKOSL 25	M36×2.0	27.7	41		98.5			
	GKC DKOSL 25AAA	M36×2.0	27.7	41	36	98.5			
	GKC DKOSH 25	M36×2.0	24.7	46	36	103			
	GKC DKOSH 2016	M42×2.0	29.7	50	36	104			
32	GKC DKOSL 32AAA	M45×2.0	34.7	50	46	124			なくなり次第終了
	GKC DKOSL 32	M45×2.0	34.7	60		124			
	GNC DKOSL 32	M45×2.0	34.7	50	46	112.5			
	GKC DKOSH 32	M42×2.0	29.7	50	46	122			
	KKC DKOSH 32	M42×2.0	29.7	50	46	122			
	GKC DKOSH 2420	M52×2.0	37.7	60	46	123			
	KKC DKOSH 2420	M52×2.0	37.7	60	46	123			
38	GKC DKOSL 38	M52×2.0	41.7	60		144			
	GNC DKOSL 38	M52×2.0	41.7	60	50	120.5			
	GKC DKOSH 38	M52×2.0	37.7	60	50	143			
	AKC DKOSH 38	M52×2.0	37.7	60	50	143			

DKO4L
DKO4H

内径	商品名	ネジ	φD	HEX X	L	H			備考
6	GKC DKO4L 6AAA	M12×1.5	6.5	17	70.5	19			
	GKC DKO4L 6	M16×1.5	9.9	22	75.5	24			
	GKC DKO4H 6AAA	M16×1.5	7.7	22	75.5	24			
	GKC DKO4H 6	M18×1.5	9.7	22	74.5	23			
9	GKC DKO4L 0406	M16×1.5	9.9	22	77.5	24			
	GKC DKO4L 9	M18×1.5	11.7	22	83.5	26			
	GKC DKO4L 0806	M22×1.5	14.7	27	90	29.5			
	GKC DKO4H 0406	M18×1.5	9.7	22	76.5	23			
	GKC DKO4H 9	M20×1.5	11.7	27	85	27.5			
12	GKC DKO4H 0806	M22×1.5	13.7	27	90	29.5			
	KKC DKO4L 12	M22×1.5	14.7	27	95.2	29.5			
	KKC DKO4H 12	M22×1.5	13.7	27	95	29.5			
	KKC DKO4H 1008	M24×1.5	15.7	30	96	30.5			
15									
	GKC DKO4L 15	M26×1.5	18	32	111.5	32			
	GKC DKO4L 1210	M30×2.0	21.7	36	120	35.7			
19	GKC DKO4H 15	M24×1.5	15.7	30	110	30.5			
	GKC DKO4L 19AAA	M22×1.5	14.7	27	112	26			
	GKC DKO4L 19	M30×2.0	21.7	36	126.5	35.5			
	GKC DKO4H 19	M30×2.0	19.7	36	126.5	35.5			
	GKC DKO4H 1612	M36×2.0	24.7	46	133.5	40.5			
25									
	GKC DKO4L 25	M36×2.0	27.7	36	140	39.5			
	GKC DKO4H 25	M36×2.0	24.7	46	140.5	40.5			
32	GKC DKO4H 2016	M42×2.0	29.7	50	155.5	47.5			
	GKC DKO4L 32AAA	M45×2.0	34.7	50	161	37			
	GNC DKO4L 32	M45×2.0	34.7	50	179.5	58			
	GKC DKO4H 32	M42×2.0	29.7	50	173.5	47.5			
	GKC DKO4H 2420	M52×2.0	37.7	60	190	55			
	KKC DKO4H 32	M42×2.0	29.7	50	173.5	47.5			
38	KKC DKO4H 2420	M52×2.0	37.7	60	190	55			
	GKC DKO4L 38	M52×2.0	41.7	60	213	58			
	GKC DKO4H 38	M52×2.0	37.7	60	210	55			
	AKC DKO4H 38	M52×2.0	37.7	60	210	55			


DK06H



内径	商品名	ネジ	パイD	HEX X	L	H		基本売価	備考
19	GKC DKO6H 19AAA	M36×2.0	24.7	46	129	53.5			

DIN規格 標準圧力Oリングシール90° ベンド金具

DKO9L
DKO9H




DIN規格 高圧力Oリングシール90° ベンド金具

内径	商品名	ネジ	φ D	HEX X	L	H			備考
6	GKC DKO9L 6AAC	M12×1.5	6.5	19	56	36.5			
	GKC DKO9L 6AAA	M14×1.5	7.7	19	56	35			
	GKC DKO9L 6	M16×1.5	9.9	22	56	38.5			
	GKC DKO9H 6AAB	M14×1.5	6.5	19	56	36.5			
	GKC DKO9H 6AAA	M16×1.5	7.7	22	56	38.5			
	GKC DKO9H 6	M18×1.5	9.7	22	56	37			
9	GKC DKO9L 0406	M16×1.5	9.9	22	58	38.5			
	GKC DKO9L 9	M18×1.5	11.7	22	65	44			
	GKC DKO9L 0806	M22×1.5	14.7	27	71.5	53			
	GKC DKO9H 9AAA	M16×1.5	7.7	22	58	38.5			
	GKC DKO9H 0406	M18×1.5	9.7	22	58	37			
	GKC DKO9H 9	M20×1.5	11.7	27	65	46.5			
	GKC DKO9H 9AAB	M20×1.5	11.7	24	65	46.5			
	GKC DKO9H 0806	M22×1.5	13.7	27	71.5	53			
12	KKC DKO9L 12	M22×1.5	14.7	27	76.5	53			
	KKC DKO9L 1008	M26×1.5	18	32	76.5	56			
	KKC DKO9H 12	M22×1.5	13.7	27	76.5	53			
	KKC DKO9H 1008	M24×1.5	15.7	30	76.5	54			
15	GKC DKO9L 15	M26×1.5	18	27	90.5	56			
	GKC DKO9L 1210	M30×2.0	21.7	36	102	67.5			
	GKC DKO9H 15	M24×1.5	15.7	30	90.5	54			
	GKC DKO9H 1210	M30×2.0	19.7	36	101.5	67.5			
19	GKC DKO9L 19	M30×2.0	21.7	36	108	67.5			
	GKC DKO9H 19	M30×2.0	19.7	36	108	67.5			
	GKC DKO9H 1612	M36×2.0	24.7	46	111	75			
25	GKC DKO9L 25	M36×2.0	27.7	41	121	76.5			
	GKC DKO9H 25	M36×2.0	24.7	46	118	75			
	GKC DKO9H 2016	M42×2.0	29.7	50	131	90			
32	GKC DKO9L 32AAA	M45×2.0	34.7	50	143	75			
	GNC DKO9L 32	M45×2.0	34.7	50	143	85			
	GKC DKO9H 32	M42×2.0	29.7	50	149	90			
	KKC DKO9H 32	M42×2.0	29.7	50	149	90			
	KKC DKO9H 2420	M52×2.0	37.7	60	164	107			
38	GNC DKO9L 38	M52×2.0	41.7	60	156.5	111			
	GKC DKO9H 38	M52×2.0	37.7	60	184	107			
	AKC DKO9H 38	M52×2.0	37.7	60	184	107			

OR ストレートユニファイめねじ


6028



内径	商品名	ネジ	HEX X	HEX Y	L			備考
6	GKC 6028 6	9/16-18UNF	19	φ 14	63			
	GKC 6028 6AAA	9/16-18UNF	19	17	63			
	GKC 6028 6AAC	9/16-18UNF	19	17	66			
	GLC 6028 6AAG	9/16-18UNF	19	19	92.5			GLC金具
	GKC 6028 0604	11/16-16UN	22	φ 14	66			
9	GKC 6028 0406	9/16-18UNF	19	φ 18	65			
	GKC 6028 9	11/16-16UN	22	φ 18	68			
	GKC 6028 9AAA	11/16-16UN	22	19	68			
	GKC 6028 9AAC	11/16-16UN	22	19	69			
	GLC 6028 9AAF	11/16-16UN	22	22	106.5			GLC金具
	GLC 6028 9AAG	11/16-16UN	22	22	148			GLC金具
	GKC 6028 0806	13/16-16UN	27	φ 18	73.5			
12	GKC 6028 9AAB	13/16-16UN	27	22	74.5			
	KKC 6028 12AAG	11/16-16UN	22	22	74			
	KKC 6028 12AAD	13/16-16UN	23.8	φ 22	78.5			新キャタピラー三菱
	KKC 6028 12	13/16-16UN	27	φ 22	78.5			
	KKC 6028 12AAA	13/16-16UN	27	22	78.5			
	KKC 6028 12AAB	13/16-16UN	27	22	76			
	KKC 6028 12AAC	13/16-16UN	27	22	78			
	KKC 6028 12AAH	13/16-16UN	27		133.5			パイプ径φ13.8
15	KLC 6028 12AAF	13/16-16UN	27	27	155.5			KLC金具 パイプ径φ15
	KKC 6028 1008	1-14UNS	30	φ 22	86.5			
	GKC 6028 0810	13/16-16UN	27	φ 30	92.5			
	GKC 6028 15	1-14UNS	30	φ 30	96.5			
	GKC 6028 15AAA	1-14UNS	30	30	96.5			
	GKC 6028 15AAC	1-14UNS	30	30	97.5			
	GKC 6028 15AAD	1-14UNS	30	30	94			新キャタピラー三菱
	GKC 6028 15AAF	1-14UNS	30	27	179.5			
	GKC 6028 15AAH	1-14UNS	30		151			
19	GKC 6028 1210	1 3/16-12UN	36	φ 30	101			
	GKC 6028 15AAE	1 3/16-12UN	36	30	98.5			新キャタピラー三菱
	GKC 6028 15AAB	1 3/16-12UN	36	30	101			
	GKC 6028 0812	13/16-16UN	27					
	GKC 6028 1012	1-14UNS	30	φ 30	105			
	GKC 6028 19AAB	1-14UNS	30	30	105			
	GKC 6028 19	1 3/16-12UN	36	φ 30	107.5			
	GKC 6028 19AAA	1 3/16-12UN	36	30	107.5			
	GKC 6028 19AAC	1 3/16-12UN	36	30	106.5			
	GKC 6028 19 L180	1 3/16-12UN	36	32	180			
25	GKC 6028 19AAD	1 3/16-12UN	36	30	105			
	GKC 6028 1612	1 7/16-12UN	41	φ 36	112			
	GKC 6028 19AAE	1 7/16-12UN	41	36	109.5			
	GKC 6028 1216	1 3/16-12UN	36	φ 36	114.5			
	GKC 6028 25AAE	1 3/16-12UN	36	36	112			
	GKC 6028 25	1 7/16-12UN	41	φ 36	117			
	GKC 6028 25AAA	1 7/16-12UN	41	36	117			
	GKC 6028 25AAB	1 7/16-12UN	41	36	114.5			
32	GKC 6028 25AAC	1 7/16-12UN	41	36	116.5			
	GKC 6028 2016	1 11/16-12UN	50	φ 43	120			
	GKC 6028 25AAD	1 11/16-12UN	50	41	120			
	GKC 6028 32	1 11/16-12UN	50	φ 46	135			
	GKC 6028 32AAA	1 11/16-12UN	50	46	135			
	KKC 6028 32AAD	1 7/16-12UN	41	36	130			
	KKC 6028 32	1 11/16-12UN	50	φ 46	135			
38	KKC 6028 32AAA	1 11/16-12UN	50	46	135			
	GNC 6028 1620	1 7/16-12UN						
	GNC 6028 32AAA	1 11/16-12UN	50	46	128.5			
	GKC 6028 38	2-12UN	60	φ 53	155			
	GKC 6028 38AAA	2-12UN	60	50	155			
38	AKC 6028 38	2-12UN	60	53	155			
38								
	GNC 6028 38	2-12UN	60	φ 52	127.5			

OR45° エルボユニファイめねじ


6128



内径	商品名	サイズ	HEX	HEX Y	L	H			備考
6	GKC 6128 6	9/16-18UNF	19		80	23.5			
	GKC 6128 0604	11/16-16UN	22		88.5	27.5			
9	GKC 6128 9AAA	11/16-16UN	22		74	17.5			
	GKC 6128 9	11/16-16UN	22		90.5	27.5			
	GKC 6128 0806	13/16-16UN	27		98.5	31.5			
12	KKC 6128 12	13/16-16UN	27		103.5	31.5			
	KKC 6128 1008	1-14UNS	30		113	36.5			
15	GKC 6128 0810	13/16-16UN	27		117.5	31.5			
	GKC 6128 15	1-14UNS	30		123	36.5			
	GKC 6128 15AAA	1-14UNS	30		121	34.5			新キャタピラー三菱
	ORS45 15(060)	1-14UNS	30		160	60			
	GKC 6128 15AAB	1 3/16-12UN	36		129	39			新キャタピラー三菱
	GKC 6128 1210	1 3/16-12UN	36		130.5	40.5			
	GKC 6128 1210ロング	1 3/16-12UN	36		160	60			
19	GKC 6128 1012	1-14UNS	30		131.5	36.5			
	GKC 6128 19AAB	1 3/16-12UN	36		135.5	39			
	GKC 6128 19	1 3/16-12UN	36		137	40.5			
	GKC 6128 19AAA	1 3/16-12UN	36		196.5	100			
	GKC 6128 1612	1 7/16-12UN	41		145	43			
25	GKC 6128 25AAA	1 7/16-12UN	41		150	41.5			
	GKC 6128 25	1 7/16-12UN	41		151.5	43			
	GKC 6128 25AAB	1 7/16-12UN	41		201	92.5			日立建機
	GKC 6128 25AAD	1 3/16-12UN	36		139.8	36.3			ZA350-3スイベルコンバル配管スイベル側
32	GNC 6128 32	1 11/16-12UN	50						
	GKC 6128 32	1 11/16-12UN	50		181	45			
	KKC 6128 32	1 11/16-12UN	50		181	45			
	KKC 6128 32AAA	1 11/16-12UN	50	46	181	45			日立建機
38	GKC 6128 38	2-12UN	60		211	47			
	AKC 6128 38	2-12UN	60		211	47			
	GNC 6128 38	2-12UN	60		127	47			

ORストレートユニファイオネジ


M6028
M6228



OR90° エルボユニファイオネジ

[illegible]

6228




内径	商品名	ネジ	HEX X	HEX Y	L	H			備考
6	GKC 6228 6	9/16-18UNF	19		56	37.5			
	GKC 6228 6AAB	9/16-18UNF	19		56	54.2			
	GKC 6228 6AAE	11/16-16UN	22		63	33.5			
	GKC 6228 0604	11/16-16UN	22		63	46			
	GKC 6228 6AAF	11/16-16UN	22		63	63.5			
9	GKC 6228 0406	9/16-18UNF	19		58	37.5			
	GKC 6228 9AAA	11/16-16UN	22		65	33			加締めタイプ
	GKC 6228 9	11/16-16UN	22		65	46			
	GKC 6228 9AAC	11/16-16UN	22		68.5	46			パイプ一体ニップル
	GKC 6228 9AAB	11/16-16UN	22		65	63.5			
	GKC 6228 9AAD	11/16-16UN	22		65	68.5			
	GKC 6228 9AAE	11/16-16UN	22		65	73.5			
	GKC 6228 0806	13/16-16UN	27		71	54.5			
	GKC 6228 9ロング*	11/16-16UN	22		68	150			
	GKC OR90 9	11/16-16UN	22		49	22.7			角エルボ
12	KKC 6228 12AAC	13/16-16UN	27		76	52			
	KKC 6228 12	13/16-16UN	27		76	54.5			
	KKC 6228 12AAA	13/16-16UN	27		76	82			
	KKC 6228 12AAB	13/16-16UN	27		76	150			新キャタピラー三菱
	KKC 6228 1008	1-14UNS	30		80	65			
	KKC 6228 1208	1 3/16-12UN	36		83.5	73			
15	GKC 6228 0810	13/16-16UN	27		90	54.5			
	GKC 6228 15AAA	1-14UNS	30		90	62.5			新キャタピラー三菱
	GKC 6228 15	1-14UNS	30		90	65			
	GKC 6228 15AAC	1-14UNS	30		90	85			
	GKC 6228 15AAB	1 3/16-12UN	36		94.5	70.5			新キャタピラー三菱
	GKC 6228 1210	1 3/16-12UN	36		94.5	73			
19	GKC 6228 19AAE	13/16-16UN	27		96.5	52			
	GKC 6228 0812	13/16-16UN	27		96.5	54.5			
	GKC 6228 1012	1-14UNS	30		98.5	65			
	GKC 6228 19AAD	1 3/16-12UN	36		101	62.5			
	GKC 6228 19AAC	1 3/16-12UN	36		101	70.5			
	GKC 6228 19	1 3/16-12UN	36		114	73			
	GKC 6228 19AAA	1 3/16-12UN	36		101	115			
	GKC 6228 19AAB	1 3/16-12UN	36		108	150			
	GKC 6228 1612	1 7/16-12UN	41		115	81			ZX470
25	GKC 6228 1216	1 3/16-12UN	36			52			
	GKC 6228 25AAB	1 7/16-12UN	41		120	78.5			
	GKC 6228 25	1 7/16-12UN	41		120	81			
	GKC 6228 25AAA	1 7/16-12UN	41		120	125			
32	GKC 6228 32	1 11/16-12UN	50		168	82			
	KKC 6228 32	1 11/16-12UN	50		168	82			
	KKC 6228 32AAA	1 11/16-12UN	50	46	168	82			日立建機
	GNC 6228 32	1 11/16-12UN	50		154.5	80			
	GNC 6228 32 H150	1 11/16-12UN	50		154.5	150			
38	GKC 6228 38	2-12UN	60		198	94			
	AKC 6228 38	2-12UN	60		198	94			
	GNC 6228 38	2-12UN	60		170.5	94			

NO.32		フィールドクリンプ用ホース金具						
CODE62 高圧カストレート		HSFST KHFST KES規格 高圧カストレート						
内径	商品名	サイズ	A	B	L			備考
9	GKC HSFST 0806	-08	31.8	25.5	65			
12	KKC HSFST 12	-08	31.8	25.5	75.5			ボルトM8×1.25×30L
	KKC HSFST 1208	-12	41.3	31.8	79.5			
15	GKC HSFST 0810	-08	31.8	25.5	89.5			
	GKC HSFST 1210	-12	41.3	31.8	95			
	GKC HSFST 15AAA	-12	41.3	31.8	99.5			
	GKC HSFST 15AAB	-16	47.6	39.7	102			
19	GKC HSFST 0812	-08	31.8	25.5	108			
	GKC HSFST 19	-12	41.3	31.8	100.5			ボルトM10×1.5×40L
	GKC HSFST 1612	-16	47.6	39.7	104.5			
	GKC HSFST 19AAA	-12	41.3	31.8	106			キャタピラー規格ヘッド
	GKC HSFST 19AAB	-12	41.3	31.8	140			キャタピラー規格ヘッド
	GKC HSFST 19AAC	-16	47.6	38.1	104.5			キャタピラー規格ヘッド
25	GKC HSFST 1216	-12	41.3	31.8	111.5			
	GKC HSFST 25	-16	47.6	39.7	110.5			ボルトM12×1.75×45L
	GKC HSFST 25ロング*	-20	54	44.5				
	GKC HSFST 2016	-20	54	44.5	117.5			
	GKC HSFST 2016ロング*	-20	54	44.5				
	GKC HSFST 25AAA	-16	47.6	38.1	113.5			キャタピラー規格ヘッド
	GKC HSFST 25AAB	-16	47.6	38.1	130			キャタピラー規格ヘッド
	GKC HSFST 25AAF	-16	47.5	38.1	134			キャタピラー規格ヘッド
	GKC HSFST 25AAC	-20	54	44.5	115.5			キャタピラー規格ヘッド
	GKC HSFST 25AAD	-20	54	44.5	145			キャタピラー規格ヘッド
32	GKC HSFST 2016	-20	54	44	133			KES規格Oリングコマツ
	GKC HSFST 1620	-16	47.6	39.7	130.5			
	GKC HSFST 32	-20	54	44.5	129			
	GKC HSFST 2420	-20	63.5	53.9	134			
	GKC HSFST 32AAA	-20	54	44.5	129			キャタピラー規格ヘッド
	GKC HSFST 32AAB	-24	63.5	50.8	134			キャタピラー規格ヘッド
	KKC HSFST 1620	-16	47.6	39.7	130.5			
	KKC HSFST 32	-20	54	44.5	129			ボルトM14×2.0×50L
	KKC HSFST 2420	-24	63.5	50.8	134			
	KKC HSFST 32AAA	-20	54	44.5	129			キャタピラー規格ヘッド
	KKC HSFST 32AAC	-20	54	44.5	160			キャタピラー規格ヘッド
	KKC HSFST 32AAB	-24	63.5	50.8	134			キャタピラー規格ヘッド
	KKC HSFST 32AAD	-24	63.5	50.8	170			キャタピラー規格ヘッド
38	GKC HSFST 32	-20	54	44	133			KES規格Oリングコマツ
	KKC HSFST 32	-20	54	44	148			KES規格Oリングコマツ
	GKC HSFST 38	-24	63.5	53.9	162			
	GKC HSFST 38AAA	-20	54	44.5	172			キャタピラー規格ヘッド
	AKC HSFST 38	-24	63.5	53.9	162			ボルトM16×2.0×55L
	AKC HSFST 38AAC	-20	54	44.5	172			キャタピラー規格ヘッド
	AKC HSFST 38AAA	-24	63.5	53.9	162			キャタピラー規格ヘッドOリングはHSF
	AKC HSFST 38AAB	-24	63.5	50.8	162			キャタピラー規格ヘッド
	AKC HSFST 38AAD	-24	63.5	50.8	197			キャタピラー規格ヘッド
	AKC HSFST 3224	-32	79.4	63.4	162			
	GKC KHFST 38	-24	63.5	54	182			KES規格Oリングコマツ
50	AKC KHFST 38	-24	63.5	54	182			KES規格Oリングコマツ
	GKC HSFST 50	-32	79.4	63.4	190			
	KKC HSFST 50	-32	79.4	63.4	190			ボルトM20×2.5×70L
	GKC KHFST 50	-32	79.4	65	205			KES規格Oリングコマツ
	KKC KHFST 50	-32	79.4	65	205			KES規格Oリングコマツ

CODE62 高圧力エルボ


HSF45
KHF45

KES規格 高圧力エルボ



内径	商品名	サイズ	A	B	L	H			備考
12	KKC HSF45 12	-08	31.8	25.5	85	22.5			
	KKC HSF45 12AAA	-08	31.8	25.5	92.5	25			
15	GKC HSF45 1210	-12	41.3	31.8	119	32.5			
	GKC HSF45 15AAA	-12	41.3	31.8	143.5	57			ZX120
19	GKC HSF45 19	-12	41.3	31.8	125.5	32.5			
	GKC HSF45 19AAA	-12	41.3	31.8	163	70			
	GKC HSF45 19AAB	-12	41.3	31.8	175	82			
	GKC HSF45 1612	-16	47.6	39.7	127.5	34.5			
	GKC HSF45 19AAC	-16	47.6	39.7	158	55			
	GKC SF45 12C	-12	41.3	31.8					キャタ規格ヘッドリングはHSF
	GKC SF45 1612C	-16	47.6	38.1					キャタビラー 規格ヘッド
25	GKC HSF45 1216	-12	41.3	31.8	132.5	32.5			
	GKC HSF45 25	-16	47.6	39.7	148.5	40.5			
	GKC HSF4A 25	-16	47.6	39.7	142.6	40			圧接品
	GKC HSF45 25AAB	-16	47.6	39.7	148.5	40.5			オカダアイオン(ルーズフランジ)
	GKC HSF45 25AAD	-16	47.6	39.7	163	55			日立建機
	GKC HSF45 25AAF	-16	47.5	39.7	188	80			
	GKC HSF45 25AAE	-16	47.5	39.7	208	100			日立建機
	GKC HSF45 2016	-20	54	44.5	151	43			
	GKC HSF45 25AAA	-16	47.6	38.1	150.5	42.5			キャタビラー 規格ヘッド
	GKC HSF45 25AAC	-20	54	44.5	149.5	41.5			キャタビラー 規格ヘッド
32	GKC HSF45 1620	-16	47.6	39.7	166.5	40.5			
	GKC HSF45 32	-20	54	44.5	184.5	49.5			
	GKC HSF45 2420	-24	63.5	53.9	188	53			
	GKC HSF45 32AAA	-20	54	44.5	156.5	37			キャタビラー 規格ヘッド
	KKC HSF45 1620	-16	47.6	39.7	166.5	40.5			
	KKC HSF45 32	-20	54	44.5	184.5	49.5			
	KKC HSF45 2420	-24	63.5	53.9	188	53			
	KKC HSF45 32AAA	-20	54	44.5	156.5	37			キャタビラー 規格ヘッド
	KKC HSF45 32AAB	-24	63.5	50.8	188	53			キャタビラー 規格ヘッド
	GKC KHF45 32	-20	54	44	164	38			KES規格リングコマツ
	KKC KHF45 32	-20	54	44	164	38			KES規格リングコマツ
38	GKC HSF45 38	-24	63.5	53.9	225	60			
	AKC HSF45 2024	-20	54	44.5	204.5	49.5			
	AKC HSF45 38AAC	-20	54	44.5	176.5	37			
	AKC HSF45 38	-24	63.5	53.9	225	60			
	AKC HSF45 38AAA	-24	63.5	53.9	187.5	41			キャタ規格ヘッドリングはHSF
	AKC HSF45 38AAB	-24	63.5	50.8	225	60			キャタビラー 規格ヘッド
	AKC HSF45 3224	-32	79.4	63.4	227	62			
	GKC KHF45 38	-24	63.5	54	189	46			KES規格リングコマツ
	AKC KHF45 2024	-20	54	44	184	38			KES規格リングコマツ
	AKC KHF45 38	-24	63.5	54	189	46			KES規格リングコマツ
50	GKC HSF45 50	-32	79.4	63.4	283.5	80.5			
	KKC HSF45 50	-32	79.4	63.4	283.5	80.5			
	GKC KHF45 50	-32	79.4	65	237	65			KES規格リングコマツ
	KKC KHF45 50	-32	79.4	65	237	65			KES規格リングコマツ

HSF90
KHF90



KES規格 高圧力エルボ

内径	商品名	サイズ	A	B	L	H			備考	
32	GKC HSF90 1620	-16	47.6	39.7	149	80				
	GKC HSF90 32	-20	54	44.5	164	99				
	GKC HSF90 32AAD	-20	54	44.5	170	150				
	GKC HSF90 2420	-24	63.5	53.9	164	104				
	GKC HSF90 32AAA	-20	54	44.5	171	104			キャタピラー規格ヘッド	
	GKC HSF90 32AAB	-24	63.5	50.8	164	104			キャタピラー規格ヘッド	
	KKC HSF90 1620	-16	47.6	39.7	149	80				
	KKC HSF90 1620 H90	-16	47.6	39.7		90				
	KKC HSF90 32AAJ	-16	47.6	39.7	142.5	120.5			住友建機	
	KKC HSF90 1620 H190	-16	47.6	39.7		190				
	KKC HSF90 32AAK	-20	54	44.5	164	71				
	KKC HSF90 32ABJ	-20	54	44.5	171	85				
	KKC HSF90 32	-20	54	44.5	164	99				
	KKC HSF90 32AAC	-20	54	44.5	165	100			日立建機	
	KKC HSF90 32AAH	-20	54	44.5	164	120			日立建機	
	KKC HSF90 32AAD	-20	54	44.5	170	150			日立建機	
	KKC HSF90 32AAE	-20	54	44.5	170	170			日立建機	
	KKC HSF90 32AAG	-20	54	44.5	170	185			川崎重工業	
	KKC HSF90 32AAF	-20	54	44.5	170	215			日立建機	
	KKC HSF90 32ABC	-20	54	44.5	200	250				
	KKC HSF90 2420	-24	63.5	53.9	164	104				
	KKC HSF90 32ABB	-24	63.5	53.9	158	120				
	KKC HSF90 32キャタ	-20	54	44.5	171	75			キャタピラー規格ヘッド	
	KKC HSF90 32AAA	-20	54	44.5	171	104			キャタピラー規格ヘッド	
	KKC HSF90 32ABA	-20	54	44.5	170	148			キャタピラー規格ヘッド	
	KKC HSF90 32ABG	-20	54	44.5	170	168			キャタピラー規格ヘッド	
	KKC HSF90 32AAB	-24	63.5	53.9	164	104			キャタピラー規格ヘッド	
		GKC KHF90 32	-20	54	44	162	90			KES規格リングコマツ
		KKC KHF90 32	-20	54	44	162	90			KES規格リングコマツ
38	GKC HSF90 38AAA	-20	54	44.5	184	97				
	GKC HSF90 38	-24	63.5	53.9	200	120				
	AKC HSF90 2024	-20	54	44.5	184	99				
	AKC HSF90 38AAG	-20	54	44.5	185	100				
	AKC HSF90 38AAA	-20	54	44.5	184	250			CAT	
	AKC HSF90 38AAF	-20	54	44.5	220	250			CAT YTA2300 専用金具	
	AKC HSF90 38ABA	-24	63.5	53.9	180	100				
	AKC HSF90 38	-24	63.5	53.9	200	120				
	AKC HSF90 38 ?	-24	63.5	53.9		208			日立建機ZX800	
	AKC HSF90 38AAC	-20	54	44.5	184	97			キャタピラー規格ヘッド	
	AKC HSF90 38AAK	-24	63.5	50.8	184	80			キャタピラー規格ヘッド	
	AKC HSF90 38AAD	-24	63.5	53.9	200	86.5			キャタピラー規格ヘッド	
	AKC HSF90 38AAB	-24	63.5	53.9	200	120			キャタピラー規格ヘッド	
	GKC KHF90 38	-24	63.5	54	188	110			KES規格リングコマツ	
	AKC KHF90 38	-24	63.5	54	188	110			KES規格リングコマツ	
50	GKC HSF90 50	-32	79.4	63.4	249	160				
	KKC HSF90 50	-32	79.4	63.4	249	160				
	GKC KHF90 50	-32	79.4	65	225	140			KES規格リングコマツ	
	KKC KHF90 50	-32	79.4	65	225	140			KES規格リングコマツ	
	KKC KHF90 50AAA	-32	79.4	65	249	160			KES規格リングコマツ	

CODE61 標準圧力エルボ

SSF KSF



HSF KHF

CODE62 KES規格 高圧力エルボ

内径	商品名	サイズ	A	B	L	H			備考
12	KKC SSF60 12	-08	30.2	26	89.5	34			川崎重工業
	KKC KSF11 12AAA	-08	30.2	25	86	5			
	KKC KSF22 12	-08	30.2	25	83	10			
	KKC KSF30 12	-08	30.2	25	95.5	15			
15	GKC SSF22 1210	-12	38.1	31.8	96	10			
	GKC SSF60 1210	-12	38.1	31.8	98.5	37			川崎重工業
	GKC SSFZZ 15AAA	-12	38.1	31.8	108	11			SSF20° ベンド 川崎重工業
	GKC SSFZZ 15AAB	-16	44.5	39.7	108	11			SSF20° ベンド 川崎重工業
	GKC KSF22 15	-10	34.2	28	101	10.5			
19	GKC SSF11 19	-12	38.1	31.8	119	6.5			
	GKC SSF11 19AAA	-12	38.1	31.8	145	12			
	GKC SSF22 19	-12	38.1	31.8	102.5	10			
	GKC SSF22 1612	-16	44.5	39.7	102.5	10			
	GKC SSF22 19AAA	-16	44.5	39.7	213	10			
	GKC SSF30 19	-12	38.1	31.8	110.5	16			
	GKC SSF30 19AAA	-12	38.1	31.8	145.5	36			
	GKC SSF40 1612	-16	44.5	39.7		100			PC228US
	GKC SSF60 19	-12	38.1	31.8	105	37			川崎重工業
	GKC SSF67 19AAA	-16	44.5	39.7	118	33			新キャタピラー 三菱
	GKC SSF70 19	-12	38.1	31.8	155	80			
	GKC SF115 19AAA	-12	38.1	31.8	142	95			新キャタピラー 三菱
	GKC KSF15-1612ロング*	-16	44.5	39.7	190	30			
	GKC KSF22 19	-12	38.1	31	118.5	13			
	GKC KSF60 19	-12	38.1	31	111.5	35			
25	GKC SSF10 25AAA	-16	44.5	39.7	144	8.5			川崎重工業
	GKC SSF15 25AAA	-16	44.5	39.7	131.5	10			清水商会
	GKC SSF22 25	-16	44.5	39.7	118.5	12			川崎重工
	GKC SSF22 2016	-20	50.8	44.5	118.5	12			
	GKC SSF30 25	-16	44.5	39.7	117.5	16			川崎重工業
	GKC SSF60 1216	-12	38.1	31.8	112	37			川崎重工業
	GKC SSF60 25	-16	44.5	39.7	140.5	39			川崎重工業
	GKC SSF60 25AAA	-20	50.8	44.5	127	43			川崎重工業
	GKC SSF67 25	-16	44.5	39.7	124	44.5			
	GKC SSF67 2016	-20	50.8	44.5	124	44.5			
	GKC SF110 25AAA	-16	44.5	39.7	123	73			新キャタピラー 三菱
	GKC SF115 25AAA	-16	44.5	39.7	158	110.5			新キャタピラー 三菱
	GKC SF115 25AAB	-16	44.5	39.7	113	110.5			
	GKC SF135 25AAA	-16	44.5	39.7	131.5	107.5			新キャタピラー 三菱
	GKC SSFZZ 25AAA	-16	44.5	39.7	84	135			90° ×2回ベント 川崎重工業
	GKC KSF15 25ロング*	-16	44.5	38	270				
	GKC KSF22 25	-16	44.5	38	117.5	12			
	GKC KSF30 25	-16	44.5	38	117.5	16			
	GKC KSF30 25AAA	-16	44.5	38	188.5	50			
	GKC KSFZZ 25AAA	-16	44.5	38	252	96.5			40°
	GKC KSF60 25	-16	44.5	38	123	38			
	GKC KSF67 25	-16	44.5	38	138	54			
	GKC KSF75 25	-16	44.5	38	134	59			
	GKC KSF105 25	-16	44.5			60			ルーズフランジ PC128US
	GKC KS120 25AAB	-12	38.1	31	117.5	87			
	GKC KS120 25AAA	-16	44.5	38	117.5	87			
	GKC HSF11 25AAA	-16	47.6	39.7	150	9.5			
	GKC HSF38 25AAA	-16	47.6	39.7	165	44.3			オカダアイオンルーズフランジ
	GKC HSF60 25AAA	-16	47.6	39.7	180.5	100			日立建機
	GKC HSF60 25AAC	-16	47.6	39.7	192.5	120			日立建機
	GKC HSF60 25AAB	-16	47.6	38.1	135	50			キャタピラー規格ヘッド
	GKC HSF67 25	-16	47.6	39.7	146.5	63.5			小松製作所
	GKC HSF75 25AAA	-16	47.6	39.7	136.5	50			日立建機
	GKC HSF75/HSF7A 25AAB	-16	47.6	39.7	129/142.4	60			

CODE61 標準圧力エルボ

SSF KSF
HSF KHF



CODE62 KES規格 高圧力エルボ

内径	商品名	サイズ	A	B	L	H		備考
32	GKC SSF20 32AAA	-24	60.3	53.9	159.5	15.5		新キャタピラー三菱
	GKC SSF30 32AAA	-20	50.8	44.5	152.5	20.5		新キャタピラー三菱
	GKC SSF60 32	-20	50.8	44.5	146.5	42		川崎重工業
	GKC SSF60 32AAA	-20	50.8	44.5	149	42		川崎重工業
	GKC SSF67 32AAA	-20	50.8	44.5	164	60		新キャタピラー三菱
	GKC SSF75 32AAA	-20	50.8	44.5	179.5	120.5		
	GKC SSFZZ 32AAA	-24	60.3	53.9	165	65		70° ベント
	KKC SSF20 32AAA	-24	60.3	53.9	159.5	15.5		
	KKC SSF22 32AAA	-24	60.3	53.9	189.5	30		
	KKC SSF30 32AAA	-20	50.8	44.5	152.5	20.5		新キャタピラー三菱
	KKC SSF67 32AAA	-20	50.8	44.5	164	60		新キャタピラー三菱
	GNC SSF22 32	-20	50.8	44.5				
	GNC SSF30 32	-20	50.8	44.5	133			
	GNC SSF60 32	-20	50.8	44.5	133	42		川崎重工業
	GNC SSFZZ 32AAA	-16	44.5	39.8	136.5	166		90° ×2回ベント 川崎重工
	GKC KSF22 32	-20	50.8	44	149.5	15		
	GKC KSF30 32	-20	50.8	44	181.5	32		
	GKC KSF30 1620	-16	44.5	38	135.5	16		
	GKC KSF60 32	-20	50.8	44	177	70		
	GKC KSF75 32	-20	50.8	44	145	70.5		
	KKC KSF22 1620ロング	-16	44.5	38		30		WA430
	KKC KSF30 1620	-16	44.5	38	135.5	16		
	GKC HSF30 32	-20	54	44.5	195.5	35		
	GKC HSF70 32AAA	-20	54	44.5	167	70		キャタピラー規格ヘッド
	GKC HSF75 32AAA	-20	54	44.5	174.5	84		
	KKC HSF11 32AAA	-20	54	44.5	164	9.5		
	KKC HSF22 32キャタ	-20						キャタピラー規格ヘッド
	KKC HSF22 32AAA	-24	63.5	50.8	185.5	25		キャタピラー規格ヘッド
	KKC HSF22 2420キャタ	-24	63.5	50.8				キャタピラー規格ヘッド
	KKC HSF30 32	-20	54	44.5	195.5	35		
	KKC HSFZZ 32AAA	-20	54	44.5	208	49.5		オカダアイオンルーズフランジ
	KKC HSF70 32AAA	-20	54	44.5	167	70		キャタピラー規格ヘッド
	KKC HSF60 32キャタ	-20	54	44.5				キャタピラー規格ヘッド
	KKC HSF75 32	-20	54	44.5	145	70.5		
	KKC HSF75 32AAA	-20	54	44.5	174.5	84		
	KKC HF100 1620	-16	47.6	39.7				
	KKC HF100 1620角フランジ	-16	47.6	39.7		115		
	KKC HSFZZ 32AAB	-20	54	44.5	148.4	69.5		115°
	GKC KHF75 32	-20	54	44	145	70.5		KES規格リングコマツ
38	GKC SSF60 38	-24	60.3	53.9	184.5	53		川崎重工業
	GKC SSF60 38AAA	-24	60.3	53.9	181.5	51		川崎重工業
	GKC SSF67 38AAA	-24	60.3	53.9	198	70		新キャタピラー三菱
	GKC SSFZZ 38AAA	-24	60.3	53.9	189.5	94.5		85° ベント 川崎重工業
	GKC SF100 38	-24	60.3	53.9				大阪高圧
	GNC SSF22 38	-24	60.3	53.9				
	KKC SSF22 38	-24	60.3	53.9		24		
	KKC SSF67 38	-24	60.3	53.9				
	GNC SSF60 38	-24	60.3	53.9	157	53		川崎重工業
	GNC SSF60 38AAA	-24	60.3	53.9	156	51		川崎重工業
	GNC SSF67 38	-24	60.3	54				
	GKC KSF30 38AAA	-24	60.3	54	211.5	36		
	AKC HSF30 38AAB	-24	63.5	53.9	210.5	35		
	AKC HSF30 38AAA	-24	63.5	50.8	210.5	35		キャタピラー規格ヘッド
	AKC HSF60 38AAA	-24	63.5	50.8				キャタピラー規格ヘッド
	AKC KHF15 38AAA	-24	63.5	54	233.5	20.2		KES規格リングコマツ
50	AKC KHF30 2024	-20	54	44	215.6	35		KES規格リングコマツ
	GKC SSF60 50	-32	71.4	63.4	238	73		
	GNC SSF60 50	-32	71.4	63.4	205.5	73		

NO.38


フィールドクリンプ用ホース金具

CODE61 標準圧カストレート

SSFST


KSFST

KES規格 標準圧カストレート



内径	商品名	サイズ	A	B	L			備考
9	GKC SSFST 0806	-08	30.2	25.5	69			
12	KKC SSFST 12	-08	30.2	25.5	73			
	KKC SSFST 1208	-12	38.1	31.8	74			
	KKC SSFST 12AAA	-16	44.5	39.7	73.5			
	KKC KSFST 12	-08	30.2	25	83.5			ボルトM8×1.25×30L
	KKC KSFST 1008	-10	34.2	28	101.5			
	KKC KSFST 1208	-12	38.1	31	102.5			
	KKC KSFST 12AAA	-16	44.5	38	95.5			
15	GKC SSFST 0810	-08	30.2	25.5	87			
	GKC SSFST 1210	-12	38.1	31.8	90.5			
	GKC SSFST 1610	-16	44.5	39.7	90.5			
	GKC KSFST 15	-10	34.2	28	112.5			ボルトM8×1.25×30L
	GKC KSFST 15AAB	-10	34.2	28	112.5			ルーズフランジ
	GKC KSFST 1210	-12	38.1	31	113.5			
	GKC KSFST 15AAA	-16	44.5	38	112.5			
19	GKC SSFST 0812	-08	30.2	25.5	93.5			
	GKC SSFST 19	-12	38.1	31.8	97			
	GKC SSFST 19AAA	-12	38.1	31.8	119			
	GKC SSFST 1612	-16	44.5	39.7	97			
	GKC SSFST 19AAB	-20	50.8	44.5	98			
	GKC KSFST 1012	-10	34.2	28	126			
	GKC KSFST 19	-12	38.1	31	120			
	GKC KSFST 19AAA	-12	38.1		120			盲金具
	GKC KSFST 19AAB	-12	38.1	31	120			ルーズフランジ
	GKC KSFST 1612	-16	44.5	38	123			
25	GKC SSFST 1216	-12	38.1	31.8	108			
	GKC SSFST 25	-16	44.5	39.7	105			
	GKC SSFST 25角フランジ	-16						E200B
	GKC SSFST 25AAA	-16	44.5	39.7	127.5			
	GKC SSFST 2016	-20	50.8	44.5	108			
	GKC SSFST 25AAB	-24	60.3	53.9	100			
	GKC KSFST 1216	-12	38.1	31	126			
	GKC KSFST 25	-16	44.5	38	128			
	GKC KSFST 25AAA	-16	44.5		128			盲金具
	GKC KSFST 25AAB	-16	44.5	38	128			ルーズフランジ
	GKC KSFST 2016	-20	50.8	44	136			
32	GKC SSF/KSFST 1620	-16	44.5	39.7/38	121/128			
	GKC SSF/KSFST 32	-20	50.8	44.5/44	120/151			
	GKC SSFST 2420	-24	60.3	53.9	122			
	KKC SSFST 1620	-16	44.5	39.7	121			
	KKC SSF/KSFST 32	-20	50.8	44.5/44	120/151			ボルトM12×1.75×40L
	KKC SSFST 2420	-24	60.3	53.9	122			
	GNC SSF/KSFST 32	-20	50.8	44.5/44	121/139			
	GNC KSFST 32AAA	-20	50.8	44	139			ルーズフランジ
38	GKC SSF/KSFST 38	-24	60.3	53.9/54	149/182			
	AKC SSFST 2024	-20	50.8	44.5	157			
	AKC SSF/KSFST 38	-24	60.3	53.9/54	149/182			
	AKC SSFST 3224	-32	71.4	63.5				966G
	GNC SSF/KSFST 38	-24	60.3	53.9/54	131/156			
	GNC SSFST 3224	-32	71.4	63.5	130			
	GNC KSFST 38AAA	-24	60.3	54	156			ルーズフランジ
	GNC KSFST 38AAB	-24	60.3	54	156			ルーズフランジ(穴位置違い)
50	GKC SSF/KSFST 50	-32	71.4	63.4/65	170/225			
	KKC SSF/KSFST 50	-32	71.4	63.4/65	170/225			
	GNC SSF/KSFST 50	-32	71.4	63.5/65	140/192			


CODE61 標準圧力エルボ

SSF45
KSF45

KES規格 標準圧力エルボ


内径	商品名	サイズ	A	B	L	H			備考
12	KKC SSF45 12	-08	30.2	25.5	86.5	26			
	KKC SSF45 1208	-12	38.1	31.8	87	26.5			
	KKC SSF45 12AAA	-16	44.5	39.7	92	24.5			
	KKC KSF45 12	-08	30.2	25	89.5	20			
15	GKC SSF45 0810	-08	30.2	25.5	100.5	26			
	GKC SSF45 1210	-12	38.1	31.8	104	24.5			
	GKC SSF45 15AAB	-12	38.1	31.8	139.5	62			日立建機
	GKC SSF45 15AAC	-12	38.1	31.8	147.5	70			日立建機
	GKC SSF45 15AAA	-16	44.5	39.7	104	24.5			
	GKC KSF45 15	-10	34.2	28	121.5	26			
	GKC KSF45 15AAB	-10	34.2	28	121.5	26			ルーズフランジ
	GKC KSF45 1210	-12	38.1	31	122.5	26			
19	GKC KSF45 15AAA	-16	44.5	38	122.5	26			
	GKC SSF45 0812	-08	30.2	25.5	107	26			
	GKC SSF45 19AAF	-08	30.2	25.5	126	30			
	GKC SSF45 19	-12	38.1	31.8	110.5	24.5			
	GKC SSF45 19AAA	-12	38.1	31.8	154	70			
	GKC SSF45 19AAC	-12	38.1	31.8	184	100			日立建機
	GKC SSF45 19AAE	-12	38.1	31.8	224	140			日立建機
	GKC SSF45 1612	-16	44.5	39.7	110.5	24.5			
	GKC SSF45 19AAB	-16	44.5	39.7	120	28.5			
	GKC SSF45 19AAD	-20	50.8	44.5	118.5	28.5			東洋運搬機
	GKC KSF45 1012	-10	34.2	28	128	26			
	GKC KSF45 19	-12	38.1	31	129	26			
	GKC KSF45 19ロング*	-12	38.1		160	40			
	GKC KSF45 19AAA	-12	38.1	31	129	26			ルーズフランジ
25	GKC KSF45 1612	-16	44.5	38	129	26			
	GKC SSF45 1216	-12	38.1	31.8	117.5	24.5			
	GKC SSF45 25	-16	44.5	39.7	123.5	28.5			
	GKC SSF45 2016	-20	50.8	44.5	123.5	28.5			
	GKC SSF45 25AAA	-20	50.8	44.5	127.5	29			川崎重工業
	GKC SSF45 25AAB	-24	60.3	53.9	132.5	30.5			川崎重工業
	GKC KSF45 25	-16	44.5	38	138	28			
	GKC KSF45 25AAA	-16	44.5	38	138	28			ルーズフランジ
32	GKC KSF45 25AAB	-16	44.5	38	200	28			
	GKC KSF45 2016	-20	50.8	44	138	28			
	GKC SSF/KSF45 1620	-16	44.5	39.7/38	141/156	28.5/28			
	GKC SSF/KSF45 32	-20	50.8	44.5/44	146/155	29/32			
	GKC KSF45 32AAA	-20	50.8	44	183	53			
	GKC SSF45 2420	-24	60.3	53.9	147.5	30.5			
	KKC SSF/KSF45 32	-20	50.8	44.5/44	146/155	29/32			
	KKC SSF45 2420	-24	60.3	53.9	134	147.5			
	GNC SSF45 1620	-16	44.5	39.7	128	28.5			
	GNC SSF/KSF45 32	-20	50.8	44.5/44	146/143	29/32			
38	GNC KSF45 32AAA	-20	50.8	44	143	32			ルーズフランジ
	GNC SSF45 2420	-24	60.3	53.9	134	30.5			
	GKC SSF45 2024	-20	50.8	44.5	166	29			
	GKC SSF/KSF45 38	-24	60.3	53.9/54	185/195	36/36			
	AKC SSF/KSF45 38	-24	60.3	53.9/54	185/195	36/36			
	GNC SSF/KSF45 38	-24	60.3	53.9/54	159/169	36/36			
50	GNC KSF45 38AAA	-24	60.3	54	169	36			ルーズフランジ
	GNC KSF45 38AAB	-24	60.3	54	169	36			ルーズフランジ(穴違い)
	GKC SSF/KSF45 50	-32	71.4	63.4/65	228/242	51/55			
	KKC SSF/KSF45 50	-32	71.4	63.4/65	228/242	51/55			
50	GNC SSF/KSF45 50	-32	71.4	63.4/65	195/209	51/55			

SSF90
KSF90



内径	商品名	サイズ	A	B	L	H			備考
12	KKC SSF90 12	-08	30.2	25.5	73	41.5			
	KKC SSF90 12ABA	-08	30.2	25.5	84.5	60			
	KKC SSF90 12AAA	-08	30.2	25.5	73	90			
	KKC SSF90 12AAJ	-08	30.2	25.5	80	90			YTA2400加締不可対策品
	KKC SSF90 12AAG	-08	30.2	25.5	84.5	90			パイプ外径17.3mm 日立
	KKC SSF90 12AAH	-08	30.2	25.5	73.5	120			
	KKC SSF90 12AAB	-08	30.2	25.5	72.5	130.5			
	KKC SSF90 12AAF	-08	30.2	25.5	84.5	130.5			パイプ外径17.3mm 日立
	KKC SSF90 1208	-12	38.1	31.8	73	42.5			
	KKC SSF90 12AAC	-12	38.1	31.8	73	54			川崎重工業
	KKC SSF90 12ABB	-12	38.1	31.8	84	90			パイプ外径21.7mm
	KKC SSF90 12AAE	-16	44.5	39.7	84.5	46.5			川崎重工業
	KKC SSF90 12AAD	-16	44.5	39.7	86	53.5			ホースサービス千葉
	KKC KSF90 12	-08	30.2	25	84.5	42			
	KKC KSF90 12AAB	-08	30.2	25	73.5	85			
	KKC KSF90 12AAA	-08	30.2	25	72.5	131			
15	GKC SSF90 0810	-08	30.2	25.5	87	41.5			
	GKC SSF90 15AAD	-08	30.2	25.5	106.5	50			パイプ外径19mm 日立建機
	GKC SSF90 0810ロング	-08	30.2	25.5		90			
	GKC SSF90 15ABA	-08	30.2	25.5	98	100			
	GKC SSF90 15AAA	-08	30.2	25.5	86.5	130.5			
	GKC SSF90 15AAK	-08	30.2	25.5	86.5	135			
	GKC SSF90 15AAJ	-08	30.2	25.5	98	150			
	GKC SSF90 15AAE	-08	30.2	25.5	86.5	150.5			
	GKC SSF90 1210	-12	38.1	31.8	98	53.5			
	GKC SSF90 15AAC	-12	38.1		98	53.5			Oリング溝無し
	GKC SSF90 15AAF	-12	38.1	31.8	96	100			日立建機
	GKC SSF90 15AAH	-12	38.1	31.8	96	120			日立建機
	GKC SSF90 15AAG	-12	38.1	31.8	108	150			
	GKC SSF90 1210ロング	-12	38.1	31.8		150			
	GKC SSF90 15AAB	-16	44.5	39.7	98	53.5			
	GKC KSF90 15	-10	34.2	28	108.5	55			
	GKC KSF90 15AAB	-10	34.2	28	108.5	55			ルーズフランジ
	GKC KSF90 15AAC	-10	34.2	28	108.5	83			
	GKC KSF90 15AAD	-10	34.2	28	108.5	100			
	GKC KSF90 1210	-12	38.1	31	108.5	55			
GKC KSF90 15AAA	-16	44.5	38	106	60.5				
19	GKC SSF90 0812	-08	30.2	25.5	93.5	41.5			
	GKC SSF90 19AAF	-08	30.2	25.5	93.5	65			川崎重工業
	GKC SSF90 19ACB	-08	30.2	25.5	105	65			
	GKC SSF90 19ABC	-08	30.2	25.5	93.5	89			日立建機
	GKC SSF90 19ABJ	-08	30.2	25.5	105	95.5			パイプ外径17.3mm 日立建機
	GKC SSF90 19AAK	-08	30.2	25.5	93	130			
	GKC SSF90 19AAG	-08	30.2	25.5	93	130.5			川崎重工業
	GKC SSF90 19ABE	-08	30.2	25.5	105	130.5			パイプ外径17.3mm 日立建機
	GKC SSF90 19ABA	-08	30.2	25.5	93	150.5			日立建機
	GKC SSF90/SSF9A 19	-12	38.1	31.8	104.5	53.5/55			
	GKC SSF90 19AAJ	-12	38.1	31.8	103	75			川崎重工業
	GKC SSF90 19AAI	-12	38.1	31.8	103	85			川崎重工業
	GKC SSF90 19AAA	-12	38.1	31.8	114.5	95.5			
	GKC SSF90/SSF9A 19ABG	-12	38.1	31.8	102.5/105	100			日立建機
	GKC SSF90 19AAC	-12	38.1	31.8	102.5	105			石


CODE61 標準圧力エルボ

SSF90
KSF90

KES規格 標準圧力エルボ

内径	商品名	サイズ	A	B	L	H			備考
19	GKC SSF90 19ACP	-12	38.1	31.8	105	90			圧接品
	GKC SSF90 19ACD	-12	38.1	31.8	102.5	175			
	GKC SSF90 19ABB	-12	38.1	31.8	120	200			住友建機
	GKC SSF90/SSF9A 1612	-16	44.5	39.7	104.5/105	53.5/60			
	GKC SSF90 19AAH	-16	44.5	39.7	103	61			川崎重工業
	GKC SSF90 19AAD	-16	44.5	39.7	102.5	105			石川部品店
	GKC SSF90/SSF9A 19ACF	-16	44.5	39.7	102.5/105	120			
	GKC SSF90/SSF9A 19ABD	-16	44.5	39.7	102.5/105	150			住友建機
	GKC SSF90 19ACK	-16	44.5	39.7	105	135			圧接品
	GKC SSF90 19ACL	-16	44.5	39.7	105	110			圧接品
	GKC SSF90 19ACM	-16	44.5	39.7	105	90			圧接品
	GKC SSF90 19ABF	-20	50.8	44.5	112.5	60.5			
	GKC SSF90 19ACE	-20	50.8	44.5	103	67			
	GKC SSF90 19ACA	-20	50.8	44.5	113	110			
	GKC SSF90 19ACC	-24	60.3	53.9	112.5	60.5			TCM
	GKC KSF90 1012	-10	34.2	28	115	55			
	GKC KSF90 19	-12	38.1	31	115	55			
	GKC KSF90 19AAA	-12	38.1	31	115	55			ルーズフランジ
	GKC KSF90 1612	-16	44.5	38	115	55			
25	GKC SSF90/SSF9A 1216	-12	38.1	31.8	111.5/115	53.5/55			
	GKC SSF90 25ABE	-12	38.1	31.8	110	61			日立建機
	GKC SSF90 25ABK	-12	38.1	31.8	109.5	85			
	GKC SSF90 25AAA	-12	38.1	31.8	109.5	115			石川部品店
	GKC SSF90 25AAK	-12	38.1	31.8	121.5	127			住友建機
	GKC SSF90 25AAC	-12	38.1	31.8	109.5	150			川崎重工業
	GKC SSF90 25AAJ	-12	38.1	31.8	131	150			パイプ径27.2mm 日立建機
	GKC SSF90 25ルーズ	-16	44.5	39.7		55			ルーズフランジ
	GKC SSF90/SSF9A 25	-16	44.5	39.7	117.5/126	60.5			
	GKC SSF90 25AAD	-16	44.5	39.7	312	70			
	GKC SSF90/SSF9A 25AAG	-16	44.5	39.7	118/126	85			川崎重工業
	GKC SSF90/SSF9A 25AAB	-16	44.5	39.7	120/126	100			川崎重工業
	GKC SSF90/SSF9A 25AAF	-16	44.5	39.7	118/126	110			川崎重工業
	GKC SSF90 25ABB	-16	44.5	39.7	118	120			日立建機
	GKC SSF90 25ABG	-16	44.5	39.7	117.5	130			日立建機
	GKC SSF90/SSF9A 25ACA	-16	44.5	39.7	117.5/126	140			日立建機
	GKC SSF90/SSF9A 25AAH	-16	44.5	39.7	118/126	150			住友建機
	GKC SSF90 25ABA	-16	44.5	39.7	118	165			住友建機
	GKC SSF90 25ABC	-16	44.5	39.7	140	210			住友建機
	GKC SSF90 25ABF	-16	44.5	39.7	232	330			
	GKC SSF90 25ACE	-16	44.5	39.7	126	135			圧接品
	GKC SSF90 25ACG	-16	44.5	39.7	126	80			圧接品
	GKC SSF90 25ACH	-16	44.5	39.7	126	115			圧接品
	GKC SSF90 25ACL	-16	44.5	39.7	126	90			圧接品
	GKC SSF90 2016	-20	50.8	44.5	117.5	60.5			
	GKC SSF90 25AAE	-20	50.8	44.5	118	67			川崎重工業
	GKC SSF90 25ABD	-20	50.8	44.5	118	120			
	GKC SSF90 2416 H65	-24	60.3	53.9		65			
	GKC SSF90 2416 H150	-24	60.3	53.9		150			
	GKC SSF90 25ABJ	-24	60.3	53.9	130	152			
	GKC KSF90 1216	-12	38.1	31	122	55			
	GKC KSF90 25	-16	44.5	38	132	70			
	GKC KSF90 25AAB	-16	44.5	38	132	70			ルーズフランジ
	GKC KSF90 25AAE	-16	44.5	38	118	90			
	GKC KSF90 25AAD	-16	44.5	38	118	90			ルーズフランジ
	GKC KSF90 2016	-20	50.8	44	130	70			
	GKC KSF90 25AAA	-20	50.8	44	130	100			
	GKC KSF90 25AAC	-20	50.8	44	118	120			
	GKC KSF90 2016ルーズ	-20	50.8	44					ルーズフランジPC228US-3


SSF90
KSF90



内径	商品名	サイズ	A	B	L	H			備考
32	GKC SSF90 1620	-16	44.5	39.7	135.5	60.5			TCM
	GKC SSF90 32AAD	-16	44.5	39.7	158	215			住友建機
	GKC SSF90 32AAB	-16	44.5	39.7	200	330			川崎重工業
	GKC SSF90 32	-20	50.8	44.5	145	66.5			
	GKC SSF90 32AAF	-20	50.8	44.5	145	130			
	GKC SSF90 32AAE	-20	50.5	44.5	145	200			日立建機
	GKC SSF90 32AAC	-20	50.8	44.5	200	330			川崎重工業
	GKC SSF90 2420	-24	60.3	53.9	145	68.5			CAT
	GKC SSF90 32AAA	-24	60.3	53.9	145	80			川崎重工業
	KKC SSF90 1620	-16	44.5	39.7	135.5	60.5			TCM
	KKC SSF90 32AAD	-16	44.5	39.7	158	215			
	KKC SSF90 32AAB	-16	44.5	39.7	200	330			
	KKC SSF90 32	-20	50.8	44.5	145	66.5			
	KKC SSF90 32AAF	-20	50.8	44.5	145	130			
	KKC SSF90 32AAE	-20	50.8	44.5	145	200			
	KKC SSF90 32AAC	-20	50.5	44.5	200	330			
	KKC SSF90 2420	-24	60.3	53.9	145	68.5			CAT
	KKC SSF90 32AAA	-24	60.3	53.9	145	80			川崎重工業
	GNC SSF90 1620	-16	44.5	39.7	122	60.5			
	GNC SSF90 32	-20	50.8	44.5	133.5	66.5			
	GNC SSF90 2420	-24	60.3	53.9	131.5	68.5			
	GKC KSF90 1620	-16	44.5	38	150	70			
	GKC KSF90 32	-20	50.8	44	165	80			
	GKC KSF90 32AAA	-20	50.8	44	165	110			
	GKC KSF90 32AAB	-20	50.8	44	143	130			
	KKC KSF90 1620	-16	44.5	38	150	70			
	KKC KSF90 32	-20	50.8	44	165	80			
	KKC KSF90 32AAA	-20	50.8	44	165	110			
	GNC KSF90 32	-20	50.8	44	153.5	80			
	GNC KSF90 32AAA	-20	50.8	44	153.5	80			ルーズフランジ
	GNC KSF90 2420ルーズ*	-24	60.3	53.9		300			ルーズフランジ
38	GKC SSF90 2024	-20	50.8	44.5	165	66.5			
	GKC SSF90 38AAA	-20	50.8	44.5	165	110			なくなり次第終了
	GKC SSF90 38AAC	-20	50.8	44.5	165	150			
	GKC SSF90 38	-24	60.3	53.9	182	80			
	GKC SSF90 38AAB	-24	60.3	53.9	182	150			新キャタピラー三菱
	GKC SSF90 3224	-32	71.4	63.4					
	AKC SSF90 38	-24	60.3	53.9	182	80			
	AKC SSF90 38AAA	-24	60.3	53.9	185	92			
	GNC SSF90 2024	-20	50.8	44.5	137.5	66.5			
	GNC SSF90 38	-24	60.3	53.9	156.5	80			
	GKC KSF90-2024 H130	-20	50.8	44		130			WA500-3 バケツ
	GKC KSF90 2024	-20	50.8	44	185	80			
	GKC KSF90 38	-24	60.3	54	195	110			
	AKC KSF90 2024	-20	50.8	44	185	80			
	AKC KSF90 38	-24	60.3	54	195	110			
	GNC KSF90 38	-24	60.3	54	169.5	110			
	GNC KSF90 38AAA	-24	60.3	54	169.5	110			ルーズフランジ
	GNC KSF90 38AAAロング*	-24	60.3	54	169.5	180			ルーズフランジ
	GNC KSF90 38AAB	-24	60.3	54	167.5	110			ルーズフランジ(穴違い)
	50	GKC SSF90 50	-32	71.4	63.4	224	115		
KKC SSF90 50		-32	71.4	63.4	224	115			
GNC SSF90 50		-32	71.4	63.4	191.5	115	</		

アイジョイント

IF




内径	商品名	B	A	球C	L	H			備考
6	GKC IF06 6	10	10	18	57.5				
	GKC IF16 6	14	14	24	61.5				
	GKC IF24 6AAA	20.2	16	34	46.5				コマツPPC オリング溝付
	GKC IFZZ 6AAA	20.2	12	30					コマツPPC オリング溝付
	GKC IF(14-13) 6	14.6	13						
	GKC IF(15-12) 6	15.4	12						コマツPPC オリング溝付
	GKC IF(15-16) 6	15.4	16						コマツPPC オリング溝付
9	GKC IF06 9	10	10	18	59.5				
	GKC IF10 9	12	12	20	61.5				
	GKC IF15 9	14	12	24	63.5				
	GKC IF16 9	14	14	24	63.5				
	GKC IF18 9	16	16	28	64.5				
	GKC IF18 9AAA	16	17	28	64.5				コマツ製作所
	GKC IF18 9AAB	16	14	28	64.5				
	GKC IF18 9AAC	16	17	28	124.5				
	GKC IF(20-16) 9	20.2	16						コマツPPC オリング溝付
	GKC IFZZ 9AAA	20.2	16						コマツPPC オリング溝付
	GKC IFZZ 9AAD	20.2	16	34	58.5				コマツPPC オリング溝付
	GKC IF24 9	22	18	34	65.5				
	GKC IF24 9AAD	22	21	34	65.5				
	GKC IF24 9AAA	22	22	40	75.5				
	GKC IF24 9AAB	24	18.5	39.5	77.5				いすゞ自動車
	GKC IF24 9AAC	24	18.5	38	53.5				
	GKC IF164 9AAA	14	14	24	103.5	46			コマツPPC ロー付角度0°
	GKC IF169 9AAA	14	14	24	94.5	74			コマツPPC ロー付角度0°
	GKC IF169 9AAB	14	14	24	94.5	74			コマツPPC ロー付角度90°
	GKC IF169 9AAC	14	14	24	84.5	64			コマツPPC ロー付角度90°
	GKC IF189 9AAA	16	16	28	94.5	75			コマツPPC ロー付角度0°
	GKC IF189 9AAB	16	16	28	94.5	75			コマツPPC ロー付角度90°
	GKC IF249 9AAA	22	18	34	95.5	76			コマツPPC ロー付角度0°
12	KKC IF24 12	22	18	34	69.5				
	KKC IF24 12AAA	22	21	34	69.5				HIAB

フィールドクリップ用ホース金具

管用平行めねジフラットシート


HIAB
HIABM

メートルめねジフラットシート




内径	商品名	ネジ	A	HEX X	HEX Y	L			備考
6	GKC HIAB 6AAA	PF1/4	8.5	19	17	55.5			
	GKC HIAB 6AAB	PF3/8	10	22	19	57.5			
	GKC HIABM 6AAA	M20×1.5	14	27	22	62.5			
9	GKC HIAB 9	PF1/2	11.55	27	22	62			
	GKC HIAB 9AAA	PF3/8	10	22	19	59.5			
	GKC HIABM 9AAA	M20×1.5	14	27	22	64.5			
	GKC HIABM 9AAB	M20×1.5	10	27	22	62			
12	KKC HIAB 12	PF3/4	12.5	32	27	70			
	KKC HIAB 0608	PF1/2	11.5	27	22	67			
	KKC HIABM 12AAA	M22×1.5	13	27	22	68.5			
	KKC HIABM 12AAB	M24×1.5	15.5	32	27	73			
	KKC HIABM 12AAC	M20×1.5	14	27	22	69.5			
	KKC HIABM 12AAD	M20×1.5	10	27	22	67			
	KKC HIABM 12AAE	M22×1.5	10	27	22	67			
	KKC HIABM 12AAF	M27×1.5	18	36	30	77.5			
15	GKC HIAB 15AAA	PF3/4	12.5	36	30	83			
	GKC HIAB 0810	PF3/4	12.5	32	30	83			
19	GKC HIAB 19	PF1	13.5	41	36	91.5			
	GKC HIAB 0812	PF3/4	12.5	32	30	89.5			
25	GKC HIAB 1216	PF1	13.5	41	36	98.5			

SSAST SHAST




内径	商品名	A	B	C	D	L	H			備考
9	GKC SHAST 0806	63	40	11	30	74.5				リングG25
12	KKC SHAST 12	63	40	11	30	76.5				リングG25
19	GKC SHAST 19	68	45	11	35	108				リングG30
25	GKC SHAST 25	80	53	13	40	111				リングG35
	GKC SSAST 25	68	48	13	40	112				
32	GKC SHAST 32	90	63	13	45	135				リングG40
	KKC SHAST 32	90	63	13	45	135				
	KKC SHALS 32	90	63	13	45	170				ルーズフランジ
38	GKC SHAST 38	100	70	15	55	159				リングG50
	GKC SSAST 38	92	65	18	55	159				
50	GKC SHAST 50	112	80	18	65	180				リングG60
	GKC SHALS 50	112	80	18	65	216				ルーズフランジ
	KKC SHAST 50	112	80	18	65	180				リングG60

SSA45 90
SHA45 90[illegible]

凸型角フランジOリングシール

FHB
FHG




凸型角フランジOリングシール

内径	商品名	□A	φ B	φ C	L			備考
12	KKC FHB02 12	52	50	30	66.5			
	KKC FHB02 12AAA							
19	GKC FHB04 19	58	55	35	90			
	GKC FHB07 19	68	70	45	87			
25	GKC FHB07 25	68	70	45	92			
	GKC FHB12 25	76	74	50	100			
	GKC FHG20 25	78	80	45	95			内径 φ 16
	GKC FHG20 25AAA	78	80	45	95			内径 φ 20.5

ホース接続用

SETU



内径	商品名	A			L			備考
6	GKC SETU 6	14			67			
9	GKC SETU 9	18			71			
12	KKC SETU 12	22			79			
15	GKC SETU 15	27			101			
19	GKC SETU 19	30			114			
25	GKC SETU 25							

PL11

パルメックスオス ワンタッチ金具

防塵カバー 取外し治具付

内径	商品名	A			L			備考
6	GKC PL11 6				60.5			
9	GKC PL11 9				65.5			


特殊品

9000


※パッキンシール金具(メス)は、革パッキンが必要

内径	商品名	サイズ	ネジ	HEX X	HEX Y	L	H			備考
6	GKC 9000 6AAA	-04	M14×1.5	19	17	55.5				1005 タイプ°
	GKC 9000 6AAB	-04	M14×1.5	19	19	57				球面+20° オスシート面
	GKC 9000 6AAC		M12×1.0	12		87.5				オスネジフレア-ストレート
	GKC 9000 6AAD		M12×1.0	12		67.5	50			オスネジフレア-90° ベント°
	GKC 9000 6AAE		M12×1.0	12		67.5	50			オスネジフレア-90° ベント°
	GKC 9000 6AAF		M12×1.0	12						オスネジフレア-90° 2回ベント°
	GKC 9000 6AAG	-04	M16×1.5 M12×1.0		19	57.5				プレーキ金具
	GKC 9000 6AAJ	-04	M12×1.5		19	51.5				パッキンシール金具
	GKC 9000 6AAK	-06	M22×1.5	27		61.5				ケルヒアー (HEX タイプ°)
	GKC 9000 6ABA	-06	M22×1.5			63.5				ケルヒアー (ローレット タイプ°)
	GKC 9000 6ABB	-06				64				ケルヒアー
	GKC 9000 6ABC	-04	7/16-20UNF	19	17	56				メスネジ°37° オスシート
	GKC PSM M16 6		M16×1.5							
GKC KGH2416 6		M16×1.5							PSM M16 6の90°	
9	GKC 9000 9AAA	-08	W20-16	29		73.5				1004 タイプ°
	GKC 9000 9AAB	-06	M18×1.5		22	57.5				METSTオスネジ° タイプ°
	GKC 9000 9AAC	-08	W20-16	27	22	69.5				1004 タイプ°
	GKC 9000 9AAE	-06	M18×1.5	19		65	100			MET90オスネジ° タイプ°
	GKC 9000 9AAF	-06	M22×1.5	27		63.5				ケルヒアー (HEX タイプ°)
	GKC 9000 9AAG	-06	M22×1.5			65.5				ケルヒアー (ローレット タイプ°)
	GKC 9000 9AAH	-06	PF3/8	22	22	59.5				パッキンシール金具 (メス)
	GKC 9000 9AAJ	-06	PF3/8		22	52.5				パッキンシール金具 (オス)
	GKC 9000 9ABA	-06				68.5				ステイフルロック金具
	GKC 9000 9ABB	-06	PF1/2	27		65	56			HIAB 90° エルボ°
	GKC 9000 9ABC	-06	M18×1.5	19		84.5	100			9AAEのL寸違い
	GKC 9000 9ABE		M16×1.5	17		94.5				
	GKC 9000 9ABF		M16×1.5	17		69.5	49.2			9ABEの90° (メスフレアシートルース°オネジ°)
	GKC KGH07UST-9		5/8-18UNF							コマツリフト ステアリング
	GKC KGH07U90-9		5/8-18UNF							コマツリフト ステアリング
12	KKC 9000 12AAB	-08	PF1/2	27	22	68				パッキンシール金具 (メス)
	KKC 9000 12AAC	-08	PF1/2		27	56.5				パッキンシール金具 (オス)
	KKC 9000 12AAD	-08	PF1/2		22	60.5				パッキンシール金具 (オス)
	KKC 9000 12AAE	-08	PF1/2		27	56.5				パッキンシール金具 (オス) 材質プラス
	KKC 9000 12AAF	-08	PF1/2	27		76.5	53			球面シール90° ベント°
	KKC 9000 12AAG		W32-12	41		90.5				1004 タイプ°
	KKC 9000 12AAH		W20-16	27	22	69.5				1004 タイプ°
	KKC 9000 12AAJ		M30×1.5	36		87.5				長ネジ° タイプ°
	AKC 9000 12AAA	-08				80.5				ステイフルロック金具
19	GKC 9000 19AAA	-12	W32-12	41	36	120				1004 タイプ°
	GKC 9000 19AAB	-12	PF3/4	36		108	59.5			6006タイプ°90° ベント°
	GKC 9000 19AAC	-12				90				ステイフルロック金具
	GFC 9000 19AAD		M28×1.5	36	30	111.5				
	GFC 9000 19AAE		M28×1.5	30		102				19AADのSUS304
25	GKC 9000 25AAA	-16	PF1	41	41	98.5				6006 タイプ°
	GKC 9000 25AAB	-16								SSFタイプ°3回ベント°
	GKC 9000 25AAC	-16	PF1	41						MELタイプ°2回ベント°
	GKC 9000 25AAD	-20	PF1 1/4		55	93				KAWAH タイプ°
	GKC 9000 25AAE	-16				115				ステイフルロック金具
	GKC 9000 25AAF	-16				114.5				新キャタピラー 三菱向け特殊フランジ°
32	KKC 9000 32AAA	-20			55	128				ステイフルロック金具
50	GKC 9000 50AAA	-32			65	161				ステイフルロック金具


6012

[illegible]

ADNST


[illegible]

13




商品名	ネジA	ネジB			備考	商品名	ネジA	ネジB			備考
13-0202	G1/8	R1/8				13-7U02	7/16U	R1/8			
13-0404	G1/4	R1/4				13-7U04	7/16U	R1/4			
13-0606	G3/8	R3/8				13-7U06	7/16U	R3/8			
13-0808	G1/2	R1/2				13-8U04	1/2U	R1/4			
13-1212	G3/4	R3/4				13-9U02	9/16U	R1/8			
13-1616	G1	R1				13-9U04	9/16U	R1/4			
13-2020	G1 1/4	R1 1/4				13-9U06	9/16U	R3/8			
13-2424	G1 1/2	R1 1/2				13-9U08	9/16U	R1/2			
13-3232	G2	R2				13-10U06	5/8U	R3/8			
						13-12U04	3/4U	R1/4			
13-0808H	G1/2	R1/2			強化型	13-12U06	3/4U	R3/8			
13-1212H	G3/4	R3/4			強化型	13-12U08	3/4U	R1/2			
13-1616H	G1	R1			強化型	13-12U12	3/4U	R3/4			
						13-14U06	7/8U	R3/8			
13-0204	G1/8	R1/4				13-14U08	7/8U	R1/2			
13-0206	G1/8	R3/8				13-14U12	7/8U	R3/4			
13-0402	G1/4	R1/8				13-17U08	1 1/16U	R1/2			
13-0406	G1/4	R3/8				13-17U12	1 1/16U	R3/4			
13-0408	G1/4	R1/2				13-17U16	1 1/16U	R1			
13-0412	G1/4	R3/4				13-21U12	1 5/16U	R3/4			
13-0602	G3/8	R1/8				13-21U16	1 5/16U	R1			
13-0604	G3/8	R1/4				13-21U16H	1 5/16U	R1			強化型
13-0608	G3/8	R1/2				13-21U20	1 5/16U	R1 1/4			
13-0612	G3/8	R3/4				13-26U16	1 5/8U	R1			
13-0616	G3/8	R1				13-26U20	1 5/8U	R1 1/4			
13-0804	G1/2	R1/4									
13-0806	G1/2	R3/8				13-M10(P1)02	M10	R1/8			
13-0812	G1/2	R3/4				13-M10(P1)04	M10	R1/4			
13-0816	G1/2	R1				13-M10(P1.25)02	M10	R1/8			
13-1206	G3/4	R3/8				13-M10(P1.25)04	M10	R1/4			
13-1208	G3/4	R1/2				13-M12(P1.25)04	M12	R1/4			
13-1216	G3/4	R1				13-M1002	M10	R1/8			
13-1608	G1	R1/2				13-M1204	M12	R1/4			
13-1612	G1	R3/4				13-M1402	M14	R1/8			
13-1620	G1	R1 1/4				13-M1404	M14	R1/4			
13-2016	G1 1/4	R1				13-M1406	M14	R3/8			
13-2024	G1 1/4	R1 1/2				13-M1604	M16	R1/4			
13-2420	G1 1/2	R1 1/4				13-M1606	M16	R3/8			
13-2432	G1 1/2	R2				13-M1804	M18	R1/4			
13-3224	G2	R1 1/2				13-M1806	M18	R3/8			
						13-M1808	M18	R1/2			
13-0404L	G1/4	R1/4			L=74	13-M2006	M20	R3/8			
13-0606L	G3/8	R3/8			L=80.5	13-M2008	M20	R1/2			
13-0808L	G1/2	R1/2			L=95	13-M2204	M22	R1/4			
13-1212L	G3/4	R3/4			L=113.5	13-M2206	M22	R3/8			
13-1616L	G1	R1			L=119.5	13-M2208	M22	R1/2			
						13-M2212	M22	R3/4			
						13-M2406	M24	R3/8			
						13-M2408	M24	R1/2			
						13-M2412	M24	R3/4			
						13-M3006	M30	R3/8			
						13-M3012	M30	R3/4			
						13-M3016	M30	R1			
						13-M3312	M33	R3/4			
						13-M3316	M33	R1			
						13-M16	M16	M16			

09




11




商品名	ネジA	ネジB			備考
09-0202	G1/8	R1/8			
09-0404	G1/4	R1/4			
09-0606	G3/8	R3/8			
09-0808	G1/2	R1/2			
09-1212	G3/4	R3/4			
09-1616	G1	R1			
09-2020	G1 1/4	R1 1/4			
09-2424	G1 1/2	R1 1/2			
09-3232	G2	R2			
09-0808H	G1/2	R1/2			強化型
09-1212H	G3/4	R3/4			強化型
09-1616H	G1	R1			強化型
09-1620H	G1	R1 1/4			強化型
09-0204	G1/8	R1/4			
09-0206	G1/8	R3/8			
09-0402	G1/4	R1/8			
09-0406	G1/4	R3/8			
09-0408	G1/4	R1/2			
09-0602	G3/8	R1/8			
09-0604	G3/8	R1/4			
09-0608	G3/8	R1/2			
09-0612	G3/8	R3/4			
09-0616	G3/8	R1			
09-0804	G1/2	R1/4			
09-0806	G1/2	R3/8			
09-0812	G1/2	R3/4			
09-0816	G1/2	R1			
09-1206	G3/4	R3/8			
09-1208	G3/4	R1/2			
09-1216	G3/4	R1			
09-1604	G1	R1/4			
09-1606	G1	R3/8			
09-1608	G1	R1/2			
09-1612	G1	R3/4			
09-1620	G1	R1 1/4			
09-2016	G1 1/4	R1			
09-2024	G1 1/4	R1 1/2			
09-2420	G1 1/2	R1 1/4			
09-2432	G1 1/2	R2			
09-3224	G2	R1 1/2			
09-0404L	G1/4	R1/4			L=71
09-0606L	G3/8	R3/8			L=78
09-0808L	G1/2	R1/2			L=93
09-1212L	G3/4	R3/4			L=112
09-1616L	G1	R1			L=119
09-0806L	G1/2	R3/8			
09-06M16	G3/8	M16			
09-M10(P1.25)04	M10	R1/4			
09-M1604	M16	R1/4			
09-M1606	M16	R3/8			
09-M2006	M20	R3/8			

商品名	ネジA	ネジB			備考
11-0202	G1/8	G1/8			
11-0404	G1/4	G1/4			
11-0606	G3/8	G3/8			
11-0808	G1/2	G1/2			
11-1212	G3/4	G3/4			
11-1616	G1	G1			
11-2020	G1 1/4	G1 1/4			
11-2424	G1 1/2	G1 1/2			
11-3232	G2	G2			
11-1212H	G3/4	G3/4			強化型
11-1616H	G1	G1			強化型
11-0204	G1/8	G1/4			
11-0206	G1/8	G3/8			
11-0406	G1/4	G3/8			
11-0408	G1/4	G1/2			
11-0412	G1/4	G3/4			
11-0608	G3/8	G1/2			
11-0612	G3/8	G3/4			
11-0812	G1/2	G3/4			
11-0816	G1/2	G1			
11-1216	G3/4	G1			
11-1620	G1	G1 1/4			
11-2024	G1 1/4	G1 1/2			
11-2432	G1 1/2	G2			
11-M14	M14	M14			
11-M16	M16	M16			
11-M18	M18	M18			
KHMP×KHMP	M22	M22			ケルヒアー
11-M1806					
11-KM42(P2)30	M42	M42			ディーン
11-10U06	5/8U	G3/8			
11-0404L	G1/4	G1/4			
11-0606L	G3/8	G3/8			
11-0808L	G1/2	G1/2			
11-1212L	G3/4	G3/4			
11-1616L	G1	G1			

12







07R





商品名	ネジA	ネジB			備考
12-0202	G1/8	G1/8			
12-0404	G1/4	G1/4			
12-0606	G3/8	G3/8			
12-0808	G1/2	G1/2			
12-1212	G3/4	G3/4			
12-1616	G1	G1			
12-2020	G1 1/4	G1 1/4			
12-2424	G1 1/2	G1 1/2			
12-3232	G2	G2			
12-0204	G1/8	G1/4			
12-0206	G1/8	G3/8			
12-0406	G1/4	G3/8			
12-0408	G1/4	G1/2			
12-0608	G3/8	G1/2			
12-0612	G3/8	G3/4			
12-0812	G1/2	G3/4			
12-0816	G1/2	G1			
12-1216	G3/4	G1			
12-1620	G1	G1 1/4			
12-2024	G1 1/4	G1 1/2			
12-2432	G1 1/2	G2			
12-7U	7/16U	7/16U			
12-8U	1/2U	1/2U			
12-9U	9/16U	9/16U			
12-10U	5/8U	5/8U			
12-12U	3/4U	3/4U			
12-14U	7/8U	7/8U			
12-17U	1 1/16U	1 1/16U			
12-21U	1 5/16U	1 5/16U			
12-26U	1 5/8U	1 5/8U			
12-7U9U	7/16U	9/16U			
12-9U12U	9/16U	3/4U			
12-12U17U	3/4U	1 1/16U			
12-14U17U	7/8U	1 1/16U			
12-17U21U	1 1/16U	1 5/16U			
12-M10(P1.25)	M10	M10			
12-M12	M12	M12			
12-M14	M14	M14			
12-M16	M16	M16			
12-M18	M18	M18			
12-M20	M20	M20			
12-M22	M22	M22			
12-M24	M24	M24			
12-M30	M30	M30			
12-M33	M33	M33			
12-M14M18	M14	M18			
12-M18M22	M18	M22			
12-M22M24	M22	M24			
12-M22M30	M22	M30			
12-M24M30	M24	M30			
12-M24M33	M24	M33			
12-M30M33	M30	M33			

商品名	ネジA	ネジB			備考
07R-0202	R1/8	Rc1/8			
07R-0404	R1/4	Rc1/4			
07R-0606	R3/8	Rc3/8			
07R-0808	R1/2	Rc1/2			
07R-1212	R3/4	Rc3/4			
07R-1616	R1	Rc1			
07R-2020	R1 1/4	Rc1 1/4			
07R-2424	R1 1/2	Rc1 1/2			
07R-0204	R1/8	Rc1/4			
07R-0406	R1/4	Rc3/8			
07R-0408	R1/4	Rc1/2			
07R-0608	R3/8	Rc1/2			
07R-0812	R1/2	Rc3/4			
07R-0816	R1/2	Rc1			
07R-1216	R3/4	Rc1			
07R-1620	R1	Rc1 1/4			
07R-04(70)04	R1/4	Rc1/4			L=70
07R-04(80)04	R1/4	Rc1/4			L=80
07R-04(100)04	R1/4	Rc1/4			L=100
07R-06(70)06	R3/8	Rc3/8			L=70
07R-06(100)06	R3/8	Rc3/8			L=100
07R-16M33	R1	M33			M33受け
07R-0404G オリング受け	R1/4	PF1/4			
07R-0606G オリング受け	R3/8	PF3/8			
07R-0808G オリング受け	R1/2	PF1/2			
07R-1212G オリング受け	R3/4	PF3/4			
07R-1616G オリング受け	R1	PF1			
07R-0204G					
07R-0604G					
07R-0406G					
07R-0806G					
07R-0608G					
07R-1208G					
07R-0812G					
07R-1612G					
07R-1216G					
07R-027UG					
07R-047UG					
07R-067UG					
07R-049UG					
07R-069UG					
07R-089UG					
07R-0612UG					
07R-0812UG					
07R-1212UG					
07R-1214UG					
07R-0817UG					
07R-1217UG					
07R-1617UG					
07R-1221UG					
07R-1621UG					

[illegible]

[illegible]


[illegible]




商品名	ネジA	ネジB			備考	商品名	ネジA	ネジB			備考
33-0202	G1/8	R1/8				33-7U02	7/16U	R1/8			
33-0404	G1/4	R1/4				33-7U04	7/16U	R1/4			
33-0606	G3/8	R3/8				33-7U06	7/16U	R3/8			
33-0808	G1/2	R1/2				33-9U04	9/16U	R1/4			
33-1212	G3/4	R3/4				33-9U06	9/16U	R3/8			
33-1616	G1	R1				33-9U08	9/16U	R1/2			
33-2020	G1 1/4	R1 1/4				33-10U06	5/8U	R3/8			
33-2424	G1 1/2	R1 1/2				33-12U06	3/4U	R3/8			
33-3232	G2	R2				33-12U08	3/4U	R1/2			
						33-12U12	3/4U	R3/4			
33-0808H	G1/2	R1/2			強化型	33-14U08	7/8U	R1/2			
33-1212H	G3/4	R3/4			強化型	33-14U12	7/8U	R3/4			
33-1616H	G1	R1			強化型	33-17U08	1 1/16U	R1/2			
						33-17U12	1 1/16U	R3/4			
33-0204	G1/8	R1/4				33-17U16	1 1/16U	R1			
33-0206	G1/8	R3/8				33-21U12	1 5/16U	R3/4			
33-0402	G1/4	R1/8				33-21U16	1 5/16U	R1			
33-0406	G1/4	R3/8				33-26U20	1 5/8U	R1 1/4			
33-0408	G1/4	R1/2									
33-0602	G3/8	R1/8				33-M1202	M12	R1/8			
33-0604	G3/8	R1/4				33-M1404	M14	R1/4			
33-0608	G3/8	R1/2				33-M1406	M14	R3/8			
33-0612	G3/8	R3/4				33-M1606	M16	R3/8			
33-0804	G1/2	R1/4				33-M1804	M18	R1/4			
33-0806	G1/2	R3/8				33-M1806	M18	R3/8			
33-0812	G1/2	R3/4				33-M1808	M18	R1/2			
33-0816	G1/2	R1				33-M2008	M20	R1/2			
33-1206	G3/4	R3/8				33-M2206	M22	R3/8			
33-1208	G3/4	R1/2				33-M2208	M22	R1/2			
33-1216	G3/4	R1				33-M2408	M24	R1/2			
33-1608	G1	R1/2				33-M2412	M24	R3/4			
33-1612	G1	R3/4				33-M3012	M30	R3/4			
33-1620	G1	R1 1/4				33-M3016	M30	R1			
33-2016	G1 1/4	R1				33-M3312	M33	R3/4			
33-2024	G1 1/4	R1 1/2				33-M3316	M33	R1			
33-2420	G1 1/2	R1 1/4									
33-2432	G1 1/2	R2				コマツグリスアダプター (205-70-51380)	G1/4	R1/8			
33-3224	G2	R1 1/2									
33-0404L	G1/4	R1/4			L=57						
33-0606L	G3/8	R3/8			L=62						
33-0808L	G1/2	R1/2			L=64						
33-1212L	G3/4	R3/4			L=85						
33-1616L	G1	R1			L=101						
33-0402L	G1/4	R1/8									
33-0406L	G1/4	R3/8			L=62						
33-0604L	G3/8	R1/4			L=62						
33-0608L	G3/8	R1/2			L=64						
33-0806L	G1/2	R3/8			L=64						
33-0812L	G1/2	R3/4			L=85						
33-1208L	G3/4	R1/2			L=85						
33-1216L	G3/4	R1			L=101						
33-1612L	G1	R3/4			L=101						

[illegible]

34



36

[illegible][illegible]


1613-90變換




1613-45變換

[illegible][illegible]

0613-45変換




0609-45變換


[illegible][illegible]

0609 変換


0609変換





[illegible][illegible]

1613 变换




1613 變換


[illegible]

[illegible][illegible]

ORA



ORB




商品名	ネジA	ネジB			備考
ORA-9U04	9/16U	R1/4			
ORA-9U06	9/16U	R3/8			
ORA-11U04	11/16U	R1/4			
ORA-11U06	11/16U	R3/8			
ORA-11U08	11/16U	R1/2			
ORA-13U06	13/16U	R3/8			
ORA-13U08	13/16U	R1/2			
ORA-13U12	13/16U	R3/4			
ORA-16U06	1U	R3/8			
ORA-16U08	1U	R1/2			
ORA-16U12	1U	R3/4			
ORA-19U08	1 3/16U	R1/2			
ORA-19U12	1 3/16U	R3/4			
ORA-19U16	1 3/16U	R1			
ORA-23U12	1 7/16U	R3/4			
ORA-23U16	1 7/16U	R1			
ORA-23U20	1 7/16U	R1 1/4			
ORA-27U20	1 11/16U	R1 1/4			

商品名	ネジA	ネジB			備考
ORB-049U	G1/4	9/16U			
ORB-069U	G3/8	9/16U			
ORB-0411U	G1/4	11/16U			
ORB-0611U	G3/8	11/16U			
ORB-0811U	G1/2	11/16U			
ORB-0613U	G3/8	13/16U			
ORB-0813U	G1/2	13/16U			
ORB-1213U	G3/4	13/16U			
ORB-0816U	G1/2	1U			
ORB-1216U	G3/4	1U			
ORB-0819U	G1/2	1 3/16U			
ORB-1219U	G3/4	1 3/16U			
ORB-1619U	G1	1 3/16U			
ORB-1223U	G3/4	1 7/16U			
ORB-1623U	G1	1 7/16U			
ORB-2023U	G1 1/4	1 7/16U			
ORB-2027U	G1 1/4	1 11/16U			


アダプター

ORAの90°

OR34



ORU



商品名	ネジA	ネジB			備考
OR34-9U04	9/16U	R1/4			
OR34-11U06	11/16U	R3/8			
OR34-13U08	13/16U	R1/2			
OR34-16U08	1U	R1/2			
OR34-16U12	1U	R3/4			
OR34-19U12	1 3/16U	R3/4			
OR34-23U12	1 7/16U	R3/4			
OR34-23U16	1 7/16U	R1			

商品名	ネジA	ネジB			備考
ORU-7U9U	7/16U	9/16U			
ORU-9U9U	9/16U	9/16U			
ORU-9U11U	9/16U	11/16U			
ORU-12U13U	3/4U	13/16U			
ORU-17U13U	1 1/16U	13/16U			
ORU-14U16U	7/8U	1U			
ORU-17U19U	1 1/16U	1 3/16U			
ORU-21U23U	1 5/16U	1 7/16U			


アダプター

ORAの45°

OR36




ORM



商品名	ネジA	ネジB			備考
OR36-9U04	9/16U	R1/4			
OR36-11U06	11/16U	R3/8			
OR36-13U08	13/16U	R1/2			
OR36-16U08	1U	R1/2			
OR36-16U12	1U	R3/4			
OR36-19U12	1 3/16U	R3/4			
OR36-23U16	1 7/16U	R1			

商品名	ネジA	ネジB			備考
ORM-M149U	M14	9/16U			
ORM-M1411U	M14	11/16U			
ORM-M1611U	M16	11/16U			
ORM-M2011U	M20	11/16U			
ORM-M2013U	M20	13/16U			
ORM-M2413U	M24	13/16U			
ORM-M2416U	M24	1U			
ORM-M2419U	M24	1 3/16U			

座付きエルボ OR34




座付きエルボ OR36

[illegible]

101




油止め 101



105



油止め 105



商品名	ネジA	ネジB			備考
101-02	G1/8				
101-04	G1/4				
101-06	G3/8				
101-08	G1/2				
101-12	G3/4				
101-16	G1				
101-20	G1 1/4				
101-24	G1 1/2				
101-32	G2				


商品名	ネジA	ネジB			備考
105-02	G1/8				
105-04	G1/4				
105-06	G3/8				
105-08	G1/2				
105-12	G3/4				
105-16	G1				
105-20	G1 1/4				
105-24	G1 1/2				
105-32	G2				

メクラ

101-KM



油止め KM



105-UT



油止め UT



商品名	ネジA	ピッチ			備考
101-KM126	M12	P1.5			
101-KM148	M14	P1.5			
101-KM1610	M16	P1.5			
101-KM1812	M18	P1.5			
101-KM2215	M22	P1.5			
101-KM2416	M24	P1.5			
101-KM2618	M26	P1.5			
101-KM2820	M28	P1.5			
101-KM3022	M30	P1.5			
101-KM3425	M34	P1.5			
101-KM3628	M36	P1.5			
101-KM3828	M38	P1.5			
101-KM4030	M40	P1.5			
101-KM4535	M45	P1.5			


商品名	ネジA	ピッチ			備考
105-UT126	M12	P1.5			
105-UT148	M14	P1.5			
105-UT1610	M16	P1.5			
105-UT1812	M18	P1.5			
105-UT2215	M22	P1.5			
105-UT2416	M24	P1.5			
105-UT2618	M26	P1.5			
105-UT2820	M28	P1.5			
105-UT3022	M30	P1.5			
105-UT3425	M34	P1.5			
105-UT3628	M36	P1.5			
105-UT3828	M38	P1.5			
105-UT4030	M40	P1.5			
105-UT4535	M45	P1.5			

メクラ

ORP




油止め ORP



ORC



油止め ORC




商品名	ネジA	ネジB			備考
ORP-9U	9/16U				
ORP-11U	11/16U				
ORP-13U	13/16U				
ORP-16U	1U				
ORP-19U	1 3/16U				
ORP-23U	1 7/16U				
ORP-27U	1 11/16U				

商品名	ネジA	ネジB			備考
ORC-9U	9/16U				
ORC-11U	11/16U				
ORC-13U	13/16U				
ORC-16U	1U				
ORC-19U	1 3/16U				
ORC-23U	1 7/16U				
ORC-27U	1 11/16U				


油止め 102

102




油止め 104

104


[illegible][illegible]

140 プラグ キャップ




AU09


Oリングボス AU09



商品名	ネジA	ピッチ			備考	商品名	ネジA	ネジB			備考
140-02	G1/8					AU09-0202	G1/8	G1/8			
140-04	G1/4					AU09-0404	G1/4	G1/4			
140-06	G3/8					AU09-0606	G3/8	G3/8			
140-08	G1/2					AU09-0808	G1/2	G1/2			
140-12	G3/4					AU09-1212	G3/4	G3/4			
140-16	G1					AU09-1616	G1	G1			
140-20	G1 1/4					AU09-2020	G1 1/4	G1 1/4			
140-24	G1 1/2					AU09-2424	G1 1/2	G1 1/2			
140-32	G2					AU09-3232	G2	G2			
140-7U	7/16U					AU09-0404クルップ	G1/4	G1/4			
140-8U	1/2U					AU09-0606クルップ	G3/8	G3/8			
140-9U	9/16U					AU09-0808クルップ	G1/2	G1/2			
140-12U	3/4U					AU09-1212クルップ	G3/4	G3/4			
140-14U	1U					AU09-1616クルップ	G1	G1			
140-17U	1 1/16U					AU09-1208クルップ	G3/4	G1/2			
140-21U	1 5/16U					AU09-1612クルップ	G1	G3/4			
140-26U	1 5/8U					AU09-0812クルップ	G1/2	G3/4			
140-M14	M14	P1.5				AU09-0808H	G1/2	G1/2			強化型
140-M16	M16	P1.5				AU09-1212H	G3/4	G3/4			強化型
140-M18	M18	P1.5				AU09-1616H	G1	G1			強化型
140-M20	M20	P1.5				AU09-0204	G1/8	G1/4			
140-M22	M22	P1.5				AU09-0406	G1/4	G3/8			
140-M24	M24	P1.5				AU09-0604	G3/8	G1/4			
140-M30	M30	P1.5				AU09-0608	G3/8	G1/2			
140-M33	M33	P1.5				AU09-0804	G1/2	G1/4			
140-M42	M42	P1.5				AU09-0806	G1/2	G3/8			
沈みプラグ02	R1/8					AU09-0812	G1/2	G3/4			
沈みプラグ04	R1/4					AU09-1208	G3/4	G1/2			
沈みプラグ06	R3/8					AU09-1216	G3/4	G1			
沈みプラグ08	R1/2					AU09-1608	G1	G1/2			
沈みプラグ12	R3/4					AU09-1612	G1	G3/4			
沈みプラグ16	R1					AU09-1620	G1	G1 1/4			
PLG-20	R1 1/4				沈プラグ	AU09-2016	G1 1/4	G1			
PLG-24	R1 1/2				沈プラグ	AU09-7U04	7/16U	G1/4			
PLG-32	R2				沈プラグ	AU09-7U06	7/16U	G3/8			
CAP-02	Rc1/8				キャップ	AU09-9U04	9/16U	G1/4			
CAP-04	Rc1/4				キャップ	AU09-9U06	9/16U	G3/8			
CAP-06	Rc3/8				キャップ	AU09-12U06	3/4U	G3/8			
CAP-08	Rc1/2				キャップ	AU09-12U08	3/4U	G1/2			
CAP-12	Rc3/4				キャップ	AU09-12U12	3/4U	G3/4			
CAP-16	Rc1				キャップ	AU09-14U08	7/8U	G1/2			
CAP-20	Rc1 1/4				キャップ	AU09-14U12	7/8U	G3/4			
CAP-24	Rc1 1/2				キャップ	AU09-17U12	1 1/16U	G3/4			
CAP-32	Rc2				キャップ	AU09-21U12	1 5/16U	G3/4			
						AU09-21U16	1 5/16U	G1			
						AU09-M1404	M14	G1/4			
						AU09-M1406	M14	G3/8			
						AU09-M1604	M16	G1/4			
						AU09-M1606	M16	G3/8			
						AU09-M2208	M22	G1/2			
						AU09-M3316	M33	G1			
						AU09-D12U08	3/4U	G1/2			
						AU09-D12U12	3/4U	G3/4			
						AU09-D21U12	1 5/16U	G3/4			


リングボス AU01

[illegible]




ロング

OE34



座付きエルボ OE34

OE30
OE37



座付きエルボ OE30

座付きエルボ OE37

[illegible]

45° エルボ						90° エルボ					
											
商品名	ネジA	ネジB			備考	商品名	ネジA	ネジB			備考
4EL-0202	Rc1/8	Rc1/8				9EL-0202	Rc1/8	Rc1/8			
4EL-0404	Rc1/4	Rc1/4				9EL-0404	Rc1/4	Rc1/4			
4EL-0606	Rc3/8	Rc3/8				9EL-0606	Rc3/8	Rc3/8			
4EL-0808	Rc1/2	Rc1/2				9EL-0808	Rc1/2	Rc1/2			
4EL-1212	Rc3/4	Rc3/4				9EL-1212	Rc3/4	Rc3/4			
4EL-1616	Rc1	Rc1				9EL-1616	Rc1	Rc1			
4EL-2020	Rc1 1/4	Rc1 1/4				9EL-2020	Rc1 1/4	Rc1 1/4			
4EL-2424	Rc1 1/2	Rc1 1/2				9EL-2424	Rc1 1/2	Rc1 1/2			
4EL-3232	Rc2	Rc2				9EL-3232	Rc2	Rc2			

継手											
チース						オスメスエルボ					
											
商品名	ネジA	ネジB			備考	商品名	ネジA	ネジB			備考
TEE-0202	Rc1/8	Rc1/8				SEL-0202	Rc1/8	R1/8			
TEE-0404	Rc1/4	Rc1/4				SEL-0404	Rc1/4	R1/4			
TEE-0606	Rc3/8	Rc3/8				SEL-0606	Rc3/8	R3/8			
TEE-0808	Rc1/2	Rc1/2				SEL-0808	Rc1/2	R1/2			
TEE-1212	Rc3/4	Rc3/4				SEL-1212	Rc3/4	R3/4			
TEE-1616	Rc1	Rc1				SEL-1616	Rc1	R1			
TEE-2020	Rc1 1/4	Rc1 1/4				SEL-2020	Rc1 1/4	R1 1/4			
TEE-2424	Rc1 1/2	Rc1 1/2				SEL-2424	Rc1 1/2	R1 1/2			
TEE-3232	Rc2	Rc2				SEL-3232	Rc2	R2			
T-RC-RC-R 04						4SEL-0404					
T-RC-RC-R 06						4SEL-0606					
T-RC-RC-R 08						4SEL-0808					
T-RC-RC-R 12						4SEL-1212					
						4SEL-1616					

継手											
ニップル											
											
商品名	ネジA	ネジB			備考	商品名	ネジA	ネジB			備考
NIP-0202	R1/8	R1/8				NIP-0204	R1/8	R1/4			
NIP-0404	R1/4	R1/4				NIP-0406	R1/4	R3/8			
NIP-0606	R3/8	R3/8				NIP-0408	R1/4	R1/2			
NIP-0808	R1/2	R1/2				NIP-0608	R3/8	R1/2			
NIP-1212	R3/4	R3/4				NIP-0412	R1/4	R3/4			
NIP-1616	R1	R1				NIP-0612	R3/8	R3/4			
NIP-2020	R1 1/4	R1 1/4				NIP-0812	R1/2	R3/4			
NIP-2424	R1 1/2	R1 1/2				NIP-0816	R1/2	R1			
NIP-3232	R2	R2				NIP-1216	R3/4	R1			
						NIP-1220	R3/4	R1 1/4			
NIP-1212H	R1/2	R1/2			強化型	NIP-1620	R1	R1 1/4			
						NIP-1624	R1	R1 1/2			
						NIP-2024	R1 1/4	R1 1/2			
						NIP-2432	R1 1/2	R2			

ソケット

メスメス(径違い)継手

カップリングソケット



ブツシング

オスメス径違い継手

ブツシュ



商品名	ネジA	ネジB			備考
CSO-0202	Rc1/8	Rc1/8			
CSO-0404	Rc1/4	Rc1/4			
CSO-0606	Rc3/8	Rc3/8			
CSO-0808	Rc1/2	Rc1/2			
CSO-1212	Rc3/4	Rc3/4			
CSO-1616	Rc1	Rc1			
CSO-2020	Rc1 1/4	Rc1 1/4			
CSO-2424	Rc1 1/2	Rc1 1/2			
CSO-3232	Rc2	Rc2			
CSO-0204	Rc1/8	Rc1/4			
CSO-0406	Rc1/4	Rc3/8			
CSO-0408	Rc1/4	Rc1/2			
CSO-0412	Rc1/4	Rc3/4			
CSO-0416	Rc1/4	Rc1			
CSO-0608	Rc3/8	Rc1/2			
CSO-0612	Rc3/8	Rc3/4			
CSO-0616	Rc3/8	Rc1			
CSO-0812	Rc1/2	Rc3/4			
CSO-0816	Rc1/2	Rc1			
CSO-1216	Rc3/4	Rc1			
CSO-1620	Rc1	Rc1 1/4			
CSO-0404L					L60
CSO-0606L					L60
CSO-0808L					L60
CSO-1212L					L60
CSO-1616L					L60

[illegible]

45° ニップル

90° ニップル

90°エルボニップル

[illegible][illegible]



商品名	ネジA	ネジB			備考	商品名	ネジA	ネジB			備考
L0101-04	R1/4	R1/4				L0103-04	R1/4	Rc1/4			
L0101-06	R3/8	R3/8				L0103-06	R3/8	Rc3/8			
L0101-08	R1/2	R1/2				L0103-08	R1/2	Rc1/2			
L0101-12	R3/4	R3/4				L0103-12	R3/4	Rc3/4			
L0101-16	R1	R1				L0103-16	R1	Rc1			
L0105-04	R1/4	C1/4				L0113-04	R1/4	13G1/4			
L0105-06	R3/8	C3/8				L0113-06	R3/8	13G3/8			
L0105-08	R1/2	C1/2				L0113-08	R1/2	13G1/2			
L0105-12	R3/4	C3/4				L0113-12	R3/4	13G3/4			
L0105-16	R1	C1				L0113-16	R1	13G1			
L0201-04	09G1/4	R1/4				L0203-04	09G1/4	Rc1/4			
L0201-06	09G3/8	R3/8				L0203-06	09G3/8	Rc3/8			
L0201-08	09G1/2	R1/2				L0203-08	09G1/2	Rc1/2			
L0201-12	09G3/4	R3/4				L0203-12	09G3/4	Rc3/4			
L0201-16	09G1	R1				L0203-16	09G1	Rc1			
L0205-04	09G1/4	C1/4				L0213-04	09G1/4	13G1/4			
L0205-06	09G3/8	C3/8				L0213-06	09G3/8	13G3/8			
L0205-08	09G1/2	C1/2				L0213-08	09G1/2	13G1/2			
L0205-12	09G3/4	C3/4				L0213-12	09G3/4	13G3/4			
L0205-16	09G1	C1				L0213-16	09G1	13G1			
L0301-04	Rc1/4	R1/4				L0303-04	Rc1/4	Rc1/4			
L0301-06	Rc3/8	R3/8				L0303-06	Rc3/8	Rc3/8			
L0301-08	Rc1/2	R1/2				L0303-08	Rc1/2	Rc1/2			
L0301-12	Rc3/4	R3/4				L0303-12	Rc3/4	Rc3/4			
L0301-16	Rc1	R1				L0303-16	Rc1	Rc1			
L0305-04	Rc1/4	C1/4				L0313-04	Rc1/4	13G1/4			
L0305-06	Rc3/8	C3/8				L0313-06	Rc3/8	13G3/8			
L0305-08	Rc1/2	C1/2				L0313-08	Rc1/2	13G1/2			
L0305-12	Rc3/4	C3/4				L0313-12	Rc3/4	13G3/4			
L0305-16	Rc1	C1				L0313-16	Rc1	13G1			
L0501-04	C1/4	R1/4				L0503-04	C1/4	Rc1/4			
L0501-06	C3/8	R3/8				L0503-06	C3/8	Rc3/8			
L0501-08	C1/2	R1/2				L0503-08	C1/2	Rc1/2			
L0501-12	C3/4	R3/4				L0503-12	C3/4	Rc3/4			
L0501-16	C1	R1				L0503-16	C1	Rc1			
L0505-04	C1/4	C1/4				L0513-04	C1/4	13G1/4			
L0505-06	C3/8	C3/8				L0513-06	C3/8	13G3/8			
L0505-08	C1/2	C1/2				L0513-08	C1/2	13G1/2			
L0505-12	C3/4	C3/4				L0513-12	C3/4	13G3/4			
L0505-16	C1	C1				L0513-16	C1	13G1			
L1301-04	13G1/4	R1/4				L1303-04	13G1/4	Rc1/4			
L1301-06	13G3/8	R3/8				L1303-0					

スイベルジョイント

[illegible]

カプラーオス



カプラーメス



商品名	サイズ	圧力		備考
N280-2P	1/4	280K		横浜互換
N280-3P	3/8	280K		横浜互換
N280-4P	1/2	280K		横浜互換
N280-6P	3/4	280K		横浜互換
N280-8P	1	280K		横浜互換
32EA04C	1/4	210K		BS
32EA06C	3/8	210K		BS
32EA08C	1/2	210K		BS
32EA12C	3/4	210K		BS
32EA16C	1	210K		BS
32AA04C	1/4	280K		BS
32AA06C	3/8	280K		BS
32AA08C	1/2	280K		BS
32AA12C	3/4	280K		BS
32AA16C	1	280K		BS
02PF	1/4	50K		ステンレス
03PF	3/8	50K		ステンレス
04PF	1/2	50K		ステンレス
CHP02P	1/4	210K		日東互換
CHP03P	3/8	210K		日東互換
CHP04P	1/2	210K		日東互換
CHP06P	3/4	210K		日東互換
CHP08P	1	210K		日東互換
CHP10P	1 1/4	180K		日東互換
CHP12P	1 1/2	180K		日東互換
CHP16P	2	140K		日東互換
350-2P	1/4	350K		日東工器
350-3P	3/8	350K		日東工器
350-4P	1/2	350K		日東工器
350-6P	3/4	350K		日東工器
350-8P	1	350K		日東工器
YZ024M-06S	3/8	210K		
32JC06C	3/8	700K		BS

商品名	サイズ	圧力		備考
N280-2S	1/4	280K		横浜互換
N280-3S	3/8	280K		横浜互換
N280-4S	1/2	280K		横浜互換
N280-6S	3/4	280K		横浜互換
N280-8S	1	280K		横浜互換
31EA04C	1/4	210K		BS
31EA06C	3/8	210K		BS
31EA08C	1/2	210K		BS
31EA12C	3/4	210K		BS
31EA16C	1	210K		BS
31EA04C-XXZ	1/4	210K		BS ピン付
31EA06C-XXZ	3/8	210K		BS ピン付
31EA08C-XXZ	1/2	210K		BS ピン付
31EA12C-XXZ	3/4	210K		BS ピン付
31EA16C-XXZ	1	210K		BS ピン付
31AA04C	1/4	280K		BS
31AA06C	3/8	280K		BS
31AA08C	1/2	280K		BS
31AA12C	3/4	280K		BS
31AA16C	1	280K		BS
31AA04C-XXZ	1/4	280K		ピン付
31AA06C-XXZ	3/8	280K		ピン付
31AA08C-XXZ	1/2	280K		ピン付
31AA12C-XXZ	3/4	280K		ピン付
31AA16C-XXZ	1	280K		ピン付
02SFL	1/4	50K		ステンレス(ピン付き)
03SFL	3/8	50K		ステンレス(ピン付き)
04SFL	1/2	50K		ステンレス(ピン付き)
CHP02S	1/4	210K		日東互換
CHP03S	3/8	210K		日東互換
CHP04S	1/2	210K		日東互換
CHP06S	3/4	210K		日東互換
CHP08S	1	210K		日東互換
CHP10S	1 1/4	180K		日東互換
CHP12S	1 1/2	180K		日東互換
CHP16S	2	140K		日東互換
350-2S	1/4	350K		日東工器
350-3S	3/8	350K		日東工器
350-4S	1/2	350K		日東工器
350-6S	3/4	350K		日東工器
350-8S	1	350K		日東工器
YZ024F-06S-AAAP	3/8	210K		
31JC06C-XXW	3/8	700K		BS

NO.78

リング

リング

リング

セット

リング

バックアップリング

Dリング/角リング

P番	商品名	太さ	内径			備考
	P3	1.9	2.80			
	P4		3.80			
	P5		4.80			
	P6		5.80			
	P7		6.80			
	P8		7.80			
	P9		8.80			
	P10		9.80			
	P10A		9.80			ケルヒアー
	P11		10.8			PF1/4
	P11. 2	2.4	11.2			
	P12		11.8			
	P12. 5		12.3			
	P14		13.8			PF3/8
	P15		14.8			IFZZ 6AAA
	P16		15.8			
	P18		17.8			PF1/2 IF24 6AAA
	P20		19.8			
	P21		20.8			KSFST 12
	P22		21.8			KAWAS 19
	P22A	3.5	21.7			KSFST 15
	P22. 4		22.1			
	P24		23.7			PF3/4
	P25		24.7			KSFST 19
	P25. 5		25.2			
	P26		25.7			
	P28		27.7			
	P29		28.7			PF1 KAWAS 25 KSWAH 19
	P29. 5		29.2			
	P30		29.7			
	P31		30.7			
	P31. 5		31.2			
	P32		31.7			KSFST 25
	P34		33.7			
	P35		34.7			
	P35. 5		35.2			
	P36		35.7			
	P38		37.7			KSFST 32
	P39		38.7			
	P40		39.7			
	P41		40.7			
	P42		41.7			
	P44		43.7			
	P45		44.7			
	P46		45.7			
	P48		47.7			KSFST 38
	P49		48.7			
	P50		49.7			

G番	商品名	太さ	内径			備考
	G25	3.1	24.4			
	G30		29.4			
	G35		34.4			KAWAH 19AAA
	G40		39.4			

OR用	商品名	太さ	内径			備考
	OR9	1.78	7.65			AS568 011
	OR11		9.25			AS568 012
	OR13		12.43			AS568 014
	OR16		15.60			AS568 016
	OR19		18.77			AS568 018
	OR23		23.52			AS568 021
	OR27		29.87			AS568 025

OR用 Dリング	商品名	太さ	内径			備考
	OR16 Dリング					CAT 4I-8888
	OR19 Dリング					CAT 4I-8889
	OR23 Dリング					CAT 4I-8891

フランジ用 角リング	商品名	太さ	内径			備考
	HH19					CAT 1P-3702
	HH25					CAT 1P-3703
	HH32					CAT 1P-3704
	HH38					CAT 1P-3705


フランジ用 Oリング	商品名	太さ	内径			備考	AS568
	B15	3.53	18.64			SSFST 12	210
	B17		21.82			SSFST 15	212
	B19		24.99			SSFST 19	214
	B24		32.92			SSFST 25	219
	B27		37.69			SSFST 32	222
	B3		47.22			SSFST 38	225
	B6		56.74			SSFST 50	228

リングボス ユニファイ	商品名	太さ	内径			備考
	UF7	1.83	8.92			AS568-904
	UF9	1.98	11.89			AS568-906
	UF12	2.21	16.36			AS568-908
	UF14	2.46	19.18			AS568-910
	UF17	2.95	23.47			AS568-912
	UF21		29.74			AS568-916
	UF26	3.00	37.46			AS568-920

リングボス ミリ	商品名	太さ	内径			備考
	M20	3.53	17.04			AS568-209
	M22	3.53	18.64			AS568-210
	M24	3.5	21.7			P22A
	M42	3.3	37.46			AS568-920

G番	商品名	太さ	内径			備考
	G45	3.1	44.4			
	G50		49.4			
	G55		54.4			
	G60		59.4			KSFST 50

保護材 他



スプリング

商品名	全長	線径	サイズ			備考
SP 16.5	1,000	1.6	-04			
SP 17.5	1,000	1.6	-04			350K用
SP 20	1,000	1.6	-06			
SP 24	1,000	2.0	-08			
SP 29	1,000	2.0	-10			
SP 32	1,000	2.3	-12			
SP 41	1,000	2.9	-16			
SP 49	1,000	2.9	-20			
SP 51	1,000	2.9	-20			
SP 56	1,000	2.9	-24			
SP 58	1,000	2.9	-24			
SPG 18.0	200	2.5	-04			
SPG 21.0	200	2.5	-06			
SPG 25.0	200	2.5	-08			

スパイラル

商品名	内径	外径	サイズ			備考
SR 12×15	12	15	-04			1箱50m
SR 15×18	15	18	-06			1箱25m
SR 20×24	20	24	-08			1箱25m
SR 25×29	25	29	-10～			1箱25m

ホースバンド

商品名	最小径	最大径	規格			備考
OBT 9.5-12	9.5	12	000			MID5
OBT 11-16	11	16	M00			L35-6
OBT 13-20	13	20	00			MID8 L35-9
OBT 16-22	16	22	0			L35-12
OBT 18-25	18	25	0X			
OBT 22-30	22	30	1A			MID15
OBT 25-35	25	35	1			L35-19
OBT 30-40	30	40	1X			L35-25
OBT 35-50	35	50	2A			
OBT 40-55	40	55	2			
OBT 45-60	45	60	2X			
OBT 55-70	55	70	3			

鉄板メクラ

商品名		サイズ				備考
鉄板メクラ 08S		-08				
鉄板メクラ 10S		-10				
鉄板メクラ 12S		-12				
鉄板メクラ 16S		-16				
鉄板メクラ 20S		-20				
鉄板メクラ 24S		-24				
鉄板メクラ 08H		-08				
鉄板メクラ 12H		-12				
鉄板メクラ 16H		-16				
鉄板メクラ 20H		-20				
鉄板メクラ 24H		-24				

割フランジ

商品名			備考
割フランジ 08S			SCLHM12
割フランジ 10S			07371-30500
割フランジ 12S			SCLHM19
割フランジ 16S			SCLHM25
割フランジ 20S			SCLHM32
割フランジ 24S			SCLHM38
割フランジ 32S			SCLHM50
割フランジ 08H			HCLHM12
割フランジ 12H			HCLHM19
割フランジ 16H			HCLHM25
割フランジ 20H			HCLHM32
割フランジ 24H			HCLHM38
割フランジ 32H			HCLHM50

コマツフランジボルト・ワッシャー

商品名	サイズ			備考
SF08B	-08			M8*1.25*30L
SF10B	-10			M8*1.25*30L
SF12B	-12			M10*1.5*35L
SF16B	-16			M10*1.5*35L
SF20B	-20			M10*1.5*35L
SF24B	-24			M12*1.75*40L
SF32B	-32			M14*2.0*40L
SF08W	-08			M8
SF10W	-10			M8
SF12W	-12			M10
SF16W	-16			M10

日立フランジボルト

商品名	サイズ			備考
HF08B	-08			M8*1.25*30L
HF12B	-12			M10*1.5*35L
HF16B	-16			M12*1.75*45L
HF20B	-20			M14*2.0*50L
HF24B	-24			M16*2.0*55L
HF32B	-32			M20*2.5*70L

コインメクラ

商品名			備考
コインメクラ 08S			
コインメクラ 10S			
コインメクラ 12S			
コインメクラ 16S			
コインメクラ 20S			
コインメクラ 24S			
コインメクラ 32S			
コインメクラ 08H			
コインメクラ 12H			
コインメクラ 16H			
コインメクラ 20H			
コインメクラ 24H			
コインメクラ 32H			